

## DEPARTMENT OF THE ARMY TECHNICAL MANU

---

ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT,  
AND DEPOT MAINTENANCE REPAIR PARTS  
AND SPECIAL TOOLS LIST

AIR CONDITIONER; BASE MOUNTED, AIR COOLED,  
208V, 3 PHASE, 60 CYCLE, AC,  
SINGLE PACKAGE, 36,000 BTU/HR  
(YORK CORP MODEL MA3-F23A)  
FSN 4120-926-1116

---

<p>This copy is a reprint which includes current pages from Changes 1 and 2.</p>
--

CHANGE }  
No. 2 }

HEADQUARTERS  
DEPARTMENT OF THE ARMY  
WASHINGTON, D.C., 27 March

Organizational, Direct and General Support and Depot Maintenance  
Repair Parts and Special Tools List

AIR CONDITIONER; BASE MOUNTED, AIR COOLED, 208V,  
3 PHASE, 60 CYCLE, AC, SINGLE PACKAGE, 36,000 BTU/HR  
(YORK CORP MODEL MA3-F23A) FSN 4120-926-1116  
(THERM-AIR MFG. CO. MODEL CB-36-08-3-60) FSN 4120-935-5348

TM 5-4120-259-25P, 24 September 1968, is changed as follows:

Page vi, paragraph 8 should read:

"Report of errors, omissions, and recommendations for improving this by the individual user is encouraged. Reports should be submitted on a DA 2028 (Recommended Changes to DA Publications) and forwarded direct to Command, U.S. Army Troop Support Command, ATTN: AMSTR-MCTS, 4300 Goodfellow Boulevard, St. Louis, Mo 63120-1798."

Pages 25, 66 and 87, Index Number 00513, FSN should read: "5930-00-636-272

By Order of the Secretary of the Army:

**JOHN A. WICKHAM, JR.**  
*General, United States Army*  
*Chief of Staff*

Official:

**R. L. DILWORTH**  
*Brigadier General, United States Army*  
*The Adjutant General*

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25A, Organizational, Direct and General Support Maintenance requirements for Air Conditioner, Floor Mounted BTU, 208V, AC, 60HZ, 3PH (MA-3-F23A and CB-36-08-3-60).

**Organizational, Direct and General Support, and Depot  
Maintenance Repair Parts and Special Tools List**

**AIR CONDITIONER; BASE MOUNTED, AIR COOLED, 208V,  
3 PHASE, 60 CYCLE, AC, SINGLE PACKAGE, 36,000 BTU/HR  
(YORK CORP MODEL MA3-F23A) FSN 4120-926-1116  
(THERM-AIR MFG. CO. MODEL CB-36-08-3-60) FSN 4120-935-5348**

TM 5 4120 259-25P, 24 September 1968, is changed as follows:

“(Therm-Air Mfg. Co. Model CB-36-08-3-60) FSN 4120-935-5348” is added to the title on the cover and contents pages.

*Page VI.* Paragraph 7. The following are added to the list of codes and manufacturers in proper numerical order:

00249.....Halstead and Mitchell  
64731.....Welco Ind. Inc.  
93929.....G-V Controls Inc.

All changes, additions, or deletions of Federal stock numbers or manufacturer's part numbers should be appropriately reflected in the parts listing and index of the manual.

*Page VII.* Section II is superseded as follows:

## PRESCRIBED LOAD ALLOWANCE

(1) Federal stock number	(2) Description  useable on code	(3) 15-day org maint. alw			
		(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100
4130-089-4566	GROUP 22 — MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS 2207 — WINTERIZATION EQUIPMENT				
	HEATER, COMPRESSOR, CRANKCASE (10855) HT 32AZ223	*	*	2	2
	GROUP 40 — GENERATORS AND ROTATING EXCITER ASSEMBLIES 4000 — MOTOR ASSEMBLIES				
6105-891-7623	MOTOR, BLOWER: condenser (88422) 5K182HG4580T (York Model only)	*	*	*	2
	MOTOR, BLOWER: condenser (64731) 8020-3 (Therm Air Model only)	*	*	*	2
6105-983-5843	MOTOR, BLOWER: evaporator (66935) 060-00621C900 (York Model only)	*	*	*	2
	MOTOR, BLOWER: evaporator (64731) 6315-4 (Therm Air Model only)	*	*	*	2
6110-706-5398	4006 — STARTING AND PROTECTIVE DEVICES CONTACTOR MOTOR: magnetic, AC (15605) 9560H392B.....	*	*	2	2
	4011 — CIRCUIT BREAKERS, CUTOUTS, FUSE AND FUSEHOLDERS				
5925-068-3940	CIRCUIT BREAKER (66935) 060-00497B900..... 4012 — SWITCHES	*	*	*	2
4130-087-4565	THERMOSTAT, CRANKCASE (10855) 76HC231-1122.....	*	*	2	2
	SWITCH, ROTARY 3 POSITION (70655) 173C (Modified).....	*	*	*	2
5945-052-9013	RELAY ASSEMBLY: time delay (82768) DT1A220VA (York Model only)	*	*	*	2
	RELAY ASSEMBLY: time delay (93929) RF-20-NO-230 (Therm Air Model only)	*	*	*	2
	GROUP 52 — REFRIGERATION AND AIR CONDITIONING COMPONENTS 5244 — THERMOSTATIC CONTROLS				
6685-997-9776	THERMOSTAT ASSEMBLY (40931) T473C1050.....	*	*	*	2
4130-983-5888	5245 — AIR FILTERS				
	FILTER, AIR (01970) DWHA 3556.....	*	2	2	2



Page	Line	Action	(1)		(2)	(3)	(4)	(5)	(6)	(7)		
			Source, Maintenance and Recoverability Code							15 Day Organizational Maintenance Allowances		
			Source	Maintenance						Unit of issue	Qty. inc. in unit pack	Fig. No.
14	00161A	Add cols. 1, 3, 4, 6, 7, and 8.	P	O	R	MOTOR, BLOWER CONDENSER: 1 1/2 HP (64731) 8020-3 (Therm Air Model Only). (Electric motors are repair parts are to be requisitioned by complete identifying nomenclature. Complete motor and frame nameplate data must be shown on requisition to insure supply of proper repair parts or motor.) 4012 — SWITCHES	EA	1	*	6-30	001-15	2
	00233	Ch col 3.	P	O		5945-052-9018 RELAY ASSEMBLY: time delay (82768) DT1A220V-A (York Model Only).	EA	1	*	*	2	4
	00233A	Add Cols 1, 3, 4, 6, 7, and 8.	P	O		RELAY ASSEMBLY: time delay (93929) RF-20-NO-230 (Therm Air Model only).	EA	1	*	*	*	2

Page	Line	Action	SMR code Index No.	Federal stock No.	Description  Ref No & Mfr on Code	Unit of issue	QTY. inc. in unit pack	30-Day DS maint. alw.			30-Day GS maint. alw.			1 yr. alw. per 100 equip. cts/yr.	Depot maint. alw. per 100 equip.
								(a)	(b)	(c)	(a)	(b)	(c)		
39	00160	Ch coi 3.....	P O R	6105-983-5843	SECTION V — REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE GROUP 40 — GENERATOR AND ROTATING EXCITER ASSEMBLIES 4000 — MOTOR ASSEMBLY MOTOR, BLOWER, EVAPORATOR; 1 1/2 HP (66935) 060 00621C900 (York Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor).	EA	1	*	2	1	*	2	1	14	10

Page	Line	Action	SMR code Index No.	(2) Federal stock No.	(3) Description Ref No & Mfr Code      Useable on Code	(4) Unit of issue	(5) Qty. inc. in unit pack	(6) Qty. inc. in unit	(7) 30-Day DS maint. alw.			(8) 30-Day GS maint. alw.			(9) 1 yr. alw. per 100 equip. cty. gcy.	(10) Depot maint. alw. per 100 equip.
									(a)	(b)	(c)	(a)	(b)	(c)		
	00169A	Add cols 1, 3, 4, 6, 7, 8, 9, 10 and 11.	P O R		MOTOR, BLOWER, EVAPORATOR: 1 1/2 HP (64731) 6315-4 (Therm Air Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor.)	EA	1		* 2	2	51-100	*	2	2	14	10
	00161	Ch col 3....	P O R	6105-891-7623	CONDENSER: 1 1/2 HP (88422) 5K182HG4580T (York Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor.)	EA	1		* 2	2	51-100	*	2	2	14	10



Page	Line	Action	SMR code Index No.	(2) Federal stock No.	(3) Description Ref No & Mfr Code Useable on Code	(4) Unit of issue	(5) Qty. inc. in unit pack	(6) Qty. inc. in unit	(7) 30-Day DS maint. alw.			(8) 30-Day GS maint. alw.			(9) 1 yr. alw. per 100 equip. citycy.	(10) Depot maint alw. per 100 equip.	Illustration Fig. No.	Inter- No.	(11)
									(a)	(b)	(c)	(a)	(b)	(c)					
	00161A	Add cols 1, 3, 4, 6, 7, 8, 9, 10, and 11.	P O R		MOTOR, BLOWER CONDENSER: 1½ HP (64731) 8020-3 (Therm Air Model Only). (Electric motors and repair parts are to be requisitioned by complete identifying nomenclature. Com- plete motor and frame nameplate data must be shown on the requisition to insure supply of the proper repair parts or motor).	EA	1		* 2	2	51-100	* 2	2	2	14	10	8	1	
45	00233	Ch col 3.....	P O	5945-052-9018	4012 — SWITCHES RELAY ASSEMBLY: time delay (82768) DT1A220VA (York Model Only). RELAY ASSEMBLY: time delay (93929) RF20-NO-230 (Therm Air Model Only).	EA	1		* 2	2	51-100	* 2	2	2	21	19	4	6	
	00233A	Add cols 1, 3, 4, 6, 7, 8, 9, 10, and 11.	P O		RELAY ASSEMBLY: time delay (93929) RF20-NO-230 (Therm Air Model Only).	EA	1		* 2	2	51-100	* 2	2	2	21	19	4	6	
58	00415	Ch col 3.....	P F	4130-087-4567	5230 — CONDENSER COIL, CONDENSER WITH HEADERS (66935) 360- 00365D900 (York Model Only).	EA	1		* 2	2	51-100	* 2	2	2	*	*	7	6	



Official:

*Chief of Staff.*

KENNETH G. WICKHAM,  
*Major General, United States Army,*  
*The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-25, Section III, (qty rqr block No. 554) Organizational Maintenance requirements for Air Conditioners: 36,000 BTU, Floor Mounted.

**ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT, AND DEPOT  
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS**

**AIR CONDITIONER; BASE MOUNTED, AIR COOLED,  
208V, 3 PHASE, 60 CYCLE, AC,  
SINGLE PACKAGE, 36,000 BTU/HR  
(YORK CORP MODEL MA3-F23A)  
FSN 4120-926-1116**

Current as of 5 September 1968

	Paragraph	Page
<b>I. INTRODUCTION</b>		
Scope .....	1	iii
General .....	2	iii
Explanation of columns .....	3	iii
Special information .....	4	v
How to locate repair parts .....	5	v
Abbreviations .....	6	vi
Federal supply codes for manufacturers .....	7	vi
Report of equipment publication improvements .....	8	vi
<b>II. PRESCRIBED LOAD ALLOWANCE</b> .....		vii
<b>III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE (NOT APPLICABLE)</b>		
<b>IV. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE</b>		
18. Body, Cab, Hood and Hull		
1801 Panels .....		1
22. Miscellaneous Body, Chassis or Hull and Accessory Items.		
2207 Winterization equipment .....		8
2210 Data Plates .....		8
40. Generator and Rotating Exciter Assemblies		
4000 Motor assembly .....		9
4006 Starting and protective devices .....		10
4009 Control panels, housing, cubicles .....		11
4011 Circuit breakers, cutouts, fuse and fuseholders .....		13
4012 Switches .....		14
4018 Terminal blocks, junction boxes .....		14
52. Refrigeration and Air Conditioning Components		
5217 Refrigerant Piping .....		20
5241 Evaporator .....		20
5243 Blower assembly .....		21
5244 Thermostatic controls .....		25
5245 Air filters .....		25
95. General Use Standardized Parts		
9501 Bulk material .....		26
<b>V. REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE</b>		
15. Frame		
1501 Frame assembly .....		27

Group	18.	Body, Can, Hood and Run	-----
	1801	Panels	-----
	22.	Miscellaneous Body, Chassis or Hull and Accessory Items	-----
	2207	Winterization equipment	-----
	2210	Data Plates	-----
	40.	Generator and Rotating Exciter Assemblies	-----
	4000	Motor assembly	-----
	4001	Rotor assemblies	-----
	4002	Stator assemblies	-----
	4006	Starting and protective devices	-----
	4009	Control panels, housing cubicles	-----
	4011	Circuit breakers, cutouts, fuse and fuseholders	-----
	4012	Switches	-----
	4018	Terminal blocks, junction boxes	-----
	52.	Refrigeration and Air Conditioning Components	-----
	5200	Gas compressor assembly	-----
	5217	Refrigerant piping	-----
	5224	Refrigerant accumulator	-----
	5230	Condenser	-----
	5235	Hydrating equipment	-----
	5241	Evaporator	-----
	5243	Blower assembly	-----
	5244	Thermostatic controls	-----
	5245	Air filters	-----
	95.	General Use Standardized Parts	-----
	9501	Bulk material	-----
SECTION	VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT	-----
		FOR DS, GS, AND DEPOT MAINTENANCE (NOT APPLICABLE)	-----
	VII.	FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX	-----

# SECTION I

## INTRODUCTION

### 1. Scope

This manual lists repair parts, special tools, and equipment required for the performance of organizational, direct support, general support, and depot maintenance of the air conditioner.

### 2. General

a. The repair parts list is arranged as follows:

(1) Individual parts and major assemblies are listed alphabetically by item name within the numbered functional groups.

(2) Assembly components and subassemblies are indented and listed alphabetically by item name under major assemblies.

b. This Repair Parts and Special Tools List is divided into the following sections:

(1) *Prescribed Load Allowance (PLA)*—Section II. A consolidated listing of repair parts quantitatively allocated for initial stockage at the organizational level. *This is a mandatory minimum stockage allowance:*

(2) *Special Tools, Test and Support Equipment*—Section III. A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level (Not Applicable).

(3) *Repair Parts*—Section IV. A list of repair parts authorized for the performance of maintenance at the organizational level.

(4) *Repair Parts*—Section V. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

(5) *Special Tools, Test and Support Equipment*—Section VI. A list of special tools, test and support equipment authorized for the performance of maintenance at the

direct support, general support, and depot level. *Not Applicable.*

(6) *Federal Stock Number and Reference Number Index*—Section VII. A list of Federal stock numbers followed by reference numbers, appearing in all the listings, in ascending alpha-numeric sequence cross-referenced to index number.

### 3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in sections II through VI.

a. *Source, Maintenance, and Recoverability Codes (SMR).*

*Note.* Common hardware items known to be readily available in Army supply channels will be assigned Maintenance codes only. Source codes, Recoverability codes, and Maintenance Allowances will not be assigned to this category.

(1) *Source Code.* Indicates the selection status and source for the listed item. Source codes used are:

Code	Explanation
P	Applied to repair parts which are stocked in or supplied from DSA/GSA or Army Supply system, and authorized for use at indicated categories.
M	Applied to repair parts which are not procured or stocked but are to be manufactured at indicated maintenance categories.
A	Applied to assemblies which are not procured or stocked, as such but made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance categories.
X	Applied to parts and assemblies which are not procured or stocked, the mortality of which is normally below that of the applicable end item, and the failure of which should result in retirement of the end item from the supply system.

Code	Explanation
X1	Applied to repair parts which are not procured or stocked, the requirement for which will be supplied by use of the next higher assembly or components.
X2	Applied to repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain them through cannibalization; if not obtainable through cannibalization, such repair parts will be requisitioned with supporting justification through normal supply channels.
C	Applied to repair parts authorized for local procurements. If not obtainable from local procurement, such repair parts will be requisitioned through normal supply channels with a supporting statement of non-availability from local procurement.
G	Applied to major assemblies that are procured with PEMA (Procurement Equipment Missile Army) funds for initial issue only to be used as exchange assemblies at DSU and GSU maintenance level. These assemblies will not be stocked above DSU and GSU level or returned to depot supply level.

(2) *Maintenance code.* Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	Explanation
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) *Recoverability code.* Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to repair parts and assemblies which are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.

(4) *Index Numbers.* This column also lists, below the SMR code, an index number for each item in ascending numerical sequence, which is used to locate items in the publication when the Federal stock number and/or reference number is known.

b. *Federal Stock Number.* Indicates the federal stock number for the item.

c. *Description.* Indicates the Federal name and any additional description item required. The applicable five-digit general supply code for manufacturers' item is followed by a part number reference number.

d. *Unit of Issue.* Indicates the unit of issue, e.g., ea, pr, ft.

e. *Quantity Incorporated in Unit.* Indicates the actual quantity contained in unit pack.

f. *Quantity Incorporated in Unit.* Indicates the quantity of the item used in the unit group.

g. *Fifteen-Day Organizational Maintenance Allowances.*

(1) The allowance columns are divided into four subcolumns. Indicated in the first column opposite the first appearance of an item is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have no entry in the allowance column. Items which have in the description column a reference to the first appearance of the item. Items authorized for use as required but not for stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances are determined at the organizational level of maintenance required. One initial prescribed load for a 15-day supply for the number of equipments supported. Units and organizations authorized a prescribed load will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate quantity column to obtain the total quantity of repair parts authorized.

(3) *Organizational units provided maintenance for more than 100 of these equipments shall determine the total quantity of repair parts required by converting the equipment quantity to a decimal factor by placing a decimal before the next to last digit of the number, indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column.*

Example: Authorized allowance for equipments is 12; for 140 equipments multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be listed as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to U.S. Army Mobility Equipment Command for exception or revision to the allowance list. Revisions to the range of items authorized will be made by this Command based upon engineering experience, demand data, or TAERS information.

#### *h. Thirty-Day DS/GS Maintenance Allowances.*

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have no entry in the allowance column, but will have in the description column a reference to the first appearance of the item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 50-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiply the decimal factor by the parts quantity authorized in the 51-100 allowance column.

Example: Authorized allowance for 51-100 equipments is 40; for 150 equipments multiplied 40 by 1.50 or 60 parts required.

*i. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

*j. Depot Maintenance Allowance Per 100 Equipments.* Indicates opposite the first appearances of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have no entry in this column, but will have in the description column a reference to the first appearance of the item. Items authorized for use but not for initial stockage are identified with an asterisk in the allowance column.

#### *k. Illustration.*

(1) *Figure Number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item Number.* Indicates the callout number used to reference the item in the illustration.

### **4. Special Information**

*a.* Identifications of the usable on codes of this publication are:

Code	Used On
NOT APPLICABLE	

*b.* Repair parts mortality has been based on 7,200 hours of operation per year.

*c.* Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

*d.* The following publication pertains to Air Conditioner and its components:

TM 5-4120- 259-15	Operator, Organizational, Direct and General Support and Depot Maintenance Manual
----------------------	---

### **5. How to Locate Repair Parts**

*a.* When Federal Stock Number or reference number is unknown:

(1) *First.* Using the table of contents, determine the functional group or subgroup within which the repair part belongs. This will refer to a page in the parts listing.

(2) *Second.* The illustration column of the page refers to a figure number.



(3) *Third.* Locate the figure and identify the repair parts, noting the item number.

(4) *Fourth.* Refer back to the page of the parts listing. Find the item number in the illustration column that corresponds with the figure number.

b. When Federal stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index is in ascending alphanumeric sequence cross-referenced to an index number.

(2) *Second.* Using the Repair Parts Listing, find the index number referenced in the Index of Federal Stock Numbers and Reference Numbers.

## 6. Abbreviations

dia.....	diameter (s)
ft.....	foot (feet)
hp.....	horsepower
id.....	inside diameter (s)
lg.....	long (length)
mtg.....	mount (ing)
No.....	number (s)
od.....	outside diameter
sq.....	square
UNC.....	unified national coarse
UNF.....	unified national fine

## 7. Federal Supply Codes for Manufacturers

Code	Manufacturer
01970....	Continental Air Filters, Inc.
03481....	B. F. Goodrich Co.
03510....	General Electric Co.
03680....	Standard Pressed Steel Co.

Code	Manufacturer
07679....	Hardware Specialty Co.
08484....	Breeze Corporation, Inc.
10855....	Carrier Corporation
15605....	Cutler Hammer, Inc.
40913....	Minneapolis-Honeywell
41947....	Mueller Brass Co.
49472....	Ranco, Inc.
58553....	Superior Valve and Fittings Co.
59730....	Thomas Arthur Co.
60399....	Torrington Mfg. Co.
65491....	The Wicaco Machine Corp.
66935....	York Corp., Div. of Borgwarner
70255....	Alco Valve Co.
70436....	Arens Controls, Inc.
72794....	Ozus Fastener Co., Inc.
75382....	Kulka Electric Mfg. Co.
76055....	Yaxley Mfg., Div. P. R. Mallory and Co., Inc.
78462....	Sporlan Valve Co.
78553....	Tinnerman Products, Inc.,
82768....	Phillips Control Corp.
87531....	Standard Refrigeration Co.
88422....	General Electric Co.
91494....	A. P. Controls Corp.
95987....	Weckesser Co.
96906....	Military Standards
97539....	Apm Co.
99017....	Protective Closures Co., Inc.

## 8. Report of Equipment Publication Improvements

Report of errors, omissions, and recommendations for improving this manual by the individual user is encouraged. Reports should be submitted on a DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding General, U. S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, Mo. 63120.

# SECTION II

## PREScribed LOAD ALLOWANCE

(1) Federal stock No.	(2) Description <div>useable on code</div>	(3) Qty inc in unit pack	(4) 15-day org maint. alw			
			(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100
	GROUP 22—MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS					
130-087-4566	2207—WINTERIZATION EQUIPMENT HEATER, COMPRESSOR, CRANKCASE (10855) HT32AZ223		*	*	2	2
	GROUP 40—GENERATORS AND ROTATING EXCITER ASSEMBLIES					
105-891-7623	4000—MOTOR ASSEMBLIES MOTOR, BLOWER: condenser (88422) 5K182HG4580T		*	*	*	2
105-983-5843	MOTOR, BLOWER: evaporator (66935) 060-00621C900		*	*	*	2
	4006—STARTING AND PROTECTIVE DEVICES					
110-706-5398	CONTACTOR MOTOR: magnetic, AC (15605) 9560H392B		*	*	2	2
	4011—CIRCUIT BREAKERS, CUTOUPS FUSE AND FUSEHOLDERS					
925-068-3940	CIRCUIT BREAKER (66935) 060-00497B900		*	*	*	2
	4012—SWITCHES					
130-087-4565	THERMOSTAT, CRANKCASE (10855) 76HC231-1122		*	*	2	2
930-669-9958	SWITCH, ROTARY 3 POSITION (70655) 173C(MODIFIED)		*	*	*	2
945-052-9013	RELAY ASSEMBLY: time delay (82768) DT1A220VA		*	*	*	2
	GROUP 52—REFRIGERATION AND AIR CONDITIONING COMPONENTS					
	5244—THERMOSTATIC CONTROLS					
685-997-9776	THERMOSTAT ASSEMBLY (40931) T473C1050		*	*	*	2
	5245—AIR FILTERS					
130-983-5888	FILTER, AIR (01970) DWH A3556		*	2	2	2

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
		SECTION IV - REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE								
		GROUP 18 - BODY, CAB, HOOD, AND HULL								
		1801 - PANELS								
X20 00042		COVER, LIFTING RING (66935) 060-003408900	EA	4						1
X20 00043		GUARD, CONDENSER (66935) 360-003829900	EA	1						3
X20 00044		GUARD, EVAPORATOR FAN OUTLET (66935) 360-002680900	EA	2						2
X20 00045		PANEL, FILTER (66935) 360-003680900	EA	1						3
X20 00046	5325-281-1968	FASTENER, GROMMET: PANEL, FILTER (72794) GA3-200	EA	10						3
X20 00047	5325-489-1054	FASTENER, SELF-LOCKING: PANEL, FILTER (72794) A3-30	EA	2						3
M O 00048		INSULATION, RUBBER: PANEL, FILTER (66935) 060-00370-900 MANUFACTURE FROM:	EA	1						
P O 00049	5640-914-6031	INSULATION, RUBBER (2 5/8 X 4 IN. REQUIRED)	FT					SEE GRP 9501		
X20 00050		PANEL, FRONT (66935) 360-003440900	EA	1						2
X20 00051		GASKET, RUBBER: FRONT PANEL (66935) 060-003484900	EA	2						2
X20 00052		GASKET, RUBBER: FRONT PANEL (66935) 060-003494900	EA	1						2
X20 00053		GASKET, RUBBER: FRONT PANEL (66935) 060-003504900	EA	2						2

(1) SWP CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE  USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS TRATI NO
						(a)	(b)	(c)	(d)	
X20 00054		GASKET, RUBBER: FRONT PANEL (66935) 060-00351A900	EA		6	1-5	6-20	21-50	51-100	2
X20 00055		GASKET, RUBBER: FRONT PANEL (66935) 060-00352A900	EA		3					2
X20 00056		GASKET, RUBBER: FRONT PANEL (66935) 060-00353A900	EA		2					2
X20 00057		GASKET, RUBBER: FRONT PANEL (66935) 060-00354A900	EA		4					2
X20 00058		GASKET, RUBBER: FRONT PANEL (66935) 060-00355A900	EA		1					2
X20 00059		GASKET, RUBBER: FRONT PANEL (66935) 060-00357A900	EA		1					2
M 0 00060		INSULATION, RUBBER: FRONT PANEL (66935) 060-00599-900 MANUFACTURE FROM:	EA		1					2
P 0 00061	5640-914-6031	INSULATION, RUBBER (1/4 X 8 3/4 IN. REQUIRED)	FT			SEE GRP 9501				
M 0 00062		INSULATION, RUBBER: FRONT PANEL (66935) 060-00356A900 MANUFACTURE FROM:	EA		2					2
P 0 00063	5640-914-6031	INSULATION, RUBBER (8 3/4 X 17 1/4 IN. REQUIRED FOR EACH)	FT			SEE GRP 9501				
M 0 00064		INSULATION, RUBBER: FRONT PANEL (66935) 060-00355A900 MANUFACTURE FROM:	EA		1					2
P 0 00065	5640-914-6031	INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	FT			SEE GRP 9501				

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15 DAY ORGANIZATIONAL MAINTENANCE - ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00066		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
P O 00067	5640-914-6031	INSULATION, RUBBER: FRONT PANEL (66935) 060-00357A900 MANUFACTURE FROM:  INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	EA		1					2 3
M O 00068		INSULATION, RUBBER: FRONT PANEL (66935) 060-00357A900 MANUFACTURE FROM:	FT			SEE GRP 9501				2 3
P O 00069	5940-785-5888	RUBBER, SHEET (5 1/4 X 8 3/4 IN. REQUIRED)	EA		1					
X20 00070		NUT, SELF-LOCKING PLATE: FRONT PANEL TO CONTROL PANEL, LEFT SIDE PANEL TO MAINTENANCE PANEL, No. 10-32 THD (03680) SPS13605-02	FT			SEE GRP 9501				2 10
O 00071	5320-761-3134	RIVET, BLIND, FLUSH: FRONT PANEL TO CONTROL PANEL, .094 DIA X .328 LG (96906) MS20605AD3/4	EA		8	*	*	*	*	2 35
X20 00072		PANEL, LEFT SIDE (66935) 360-003800900	EA		1					2 8
X20 00073	5325-285-3373	FASTENER, SPRING LATCH: FRAME TO MAINTENANCE PANEL (72794) S3-150	EA		4					2 11
X20 00074		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-004788900	EA		1					2 18
X20 00075		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-004808900	EA		1					2 43
X20 00076		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00486A900	EA		1					2 40
X20 00077		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00481A900	EA		1					2 6
X20 00078		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00479A900	EA		1					2 9

(1) SWR CODE INDEX NO.	(2) FEDERAL CODE NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT PACK	(7) 15-DAY ORGANIZATIONAL MAINTENANCE PLW				(8) ILLUS- TRATION NO.
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00079		REFERENCE NO. & MFR. CODE GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00482A900	EA		1					
X20 00080		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00487A900	EA	1	1					2
X20 00081		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00483A900	EA	1	1					2
M O 00082		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00484A900 MANUFACTURE FROM:	EA	1	1					2
P O 00083	5640-914-6031	INSULATION, RUBBER (8 1/2 X 13 9/16 REQUIRED)	FT		SEE GRP 950					
M O 00084		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00485A900 MANUFACTURE FROM:	EA	1	1					2
P O 00085	5640-914-6031	INSULATION, RUBBER (10 3/16 X 16 7/8 IN. REQUIRED)	FT		SEE GRP 950					
O 00086	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 5/16 LG (96906) MS20426AD3-5	EA	8	8	*	*	*	*	2
O 00087	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL 3/32 DIA X 1/4 LG (96906) MS20426AD3-4	EA	6	6	*	*	*	*	2
O 00088	5320-584-0672	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 3/8 LG (96906) MS20426AD3-6	EA	6	6	*	*	*	*	2
O 00089	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: LEFT SIDE PANEL, No. 10-32 UNF X 3/4 LG (96906) MS51958-65	EA	3	3	*	*	*	*	2
X20 00090		STRIP, MOUNTING: 1/8 X 1/2 X 13 LG (66935) 060-00488A900	EA	1	1					2
X20 00091		PANEL, RIGHT SIDE (66935) 360-00381D900	EA	1	1					3

(1) SWR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUSTRATION TRA
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00092		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00487A900	EA	1	1					3
X20 00093		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00482A900	EA		2					3
X20 00094		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00457A900	EA	1	1					3
X20 00095		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00456A900	EA	1	1					3
X20 00096		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00479A900	EA	1	1					3
X20 00097		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00481A900	EA	1	1					3
X20 00098		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00486A900	EA	1	1					3
X20 00099		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00480B900	EA	1	1					3
X20 00100		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00455A900	EA	1	1					3
X20 00101		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00453A900	EA	1	1					3
M O 00102		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00451A900 MANUFACTURE FROM:	EA	1	1					3
P O 00103	5640-914-6031	INSULATION, RUBBER (6 5/16 X 13 1/2 IN. REQUIRED)	FT			SEE GRP 9501				
M O 00104		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00454A900 MANUFACTURE FROM:	EA	1	1					3
P O 00105	5640-914-6031	INSULATION, RUBBER (10 3/16 X 16 7/8 IN. REQUIRED)	FT			SEE GRP 9501				

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				ILLUSTRATION NO.
						(a)	(b)	(c)	(d)	
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			1-5	6-20	21-50	51-100	
M O 00106		INSULATION, RUBBER; RIGHT SIDE PANEL (66935) 060-00452A900 MANUFACTURE FROM:	EA		1					3
P O 00107	5640-914-6031	INSULATION, RUBBER  (10 3/16 X 13 1/2 IN. REQUIRED)	FT			SEE GRP 9501				
X20 00108		NUT, SELF-LOCKING, PLATE: FRAME TO RIGHT SIDE PANEL, No. 10-32 UNF (03680) SPS13605-02	EA		3					3
O 00109	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: FRAME TO RIGHT SIDE PANEL, 3/32 DIA X 1/4 LG (96906) MS20426A03-4	EA		6	*	*	*	*	3
O 00110	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: FRAME TO RIGHT SIDE PANEL, No. 10-32 UNF X 3/4 LG (96906) MS1958-65	EA		3	*	*	*	*	3
X20 00111		PANEL, TOP (66935) 360-003780900	EA		1					1
X20 00112		GASKET, RUBBER: TOP PANEL (66935) 060-00472B900	EA		2					1
X20 00113		GASKET, RUBBER: TOP PANEL (66935) 060-00474B900	EA		2					1
X20 00114		GASKET, RUBBER: TOP PANEL (66935) 060-00475B900	EA		1					1
X20 00115		INSULATION, RUBBER: TOP PANEL (66935) 060-00471-900	EA		1					1
M O 00116		INSULATION, RUBBER: TOP PANEL (66935) 060-00470B900 MANUFACTURE FROM:	EA		1					1
P O 00117	5640-914-6031	INSULATION, RUBBER  (11 X 38 3/4 IN. REQUIRED)	FT			SEE GRP 9501				



(1) SAR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
REFERENCE NO. & MFR. CODE			USABLE ON CODE							FIG NO.
M O 00118		INSULATION, RUBBER: TOP PANEL (66935) 060-004738900 MANUFACTURE FROM:	EA		1					1
P O 00119	5640-914-6031	INSULATION, RUBBER (1 1/2 X 5/8 X 38 3/4 IN. REQUIRED)								
X20 00120		NUT, SELF-LOCKING PLATE: LIFTING RING COVER TO TOP PANEL, No. 10-32 UNF (03680) SPS13605-02	EA		4	SEE GRP 9501				1
X20 00121		NUT, SELF-LOCKING PLATE: LIFTING RING COVER TO TOP PANEL, No. 6-32 UNC (03680) SPS13605N62	EA		4					1
O 00122	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LIFTING RING COVER TO TOP PANEL, 3/32 DIA X 1/4 LG (96906) MS20426AD3-4	EA		16	*	*	*	*	1
X20 00123		PANEL, MAINTENANCE (66935) 360-003290900	EA		1					2
X20 00124	5325-281-4968	FASTENER, GROMMET: MAINTENANCE PANEL (72794) GA3-200	EA		5					2
X20 00125	5325-171-6795	FASTENER, SELF-LOCKING: MAINTENANCE PANEL (72794) A3-35	EA		1					2
X20 00126		FASTENER, SELF-LOCKING: FILTER AND MAINTENANCE PANEL MTG (72794) A3-50	EA		6					3
X20 00127		GASKET, RUBBER: MAINTENANCE PANEL (66935) 060-003284900	EA		1					3
X20 00128		INSULATION, RUBBER: MAINTENANCE PANEL (66935) 060-00330-900	EA		1					3
X20 00129		SCREEN, FRESH AIR (66935) 360-00388-900	EA		2					10
O 00130	5305-054-6650	SCREW, MACHINE, PAN HEAD, RECESSED: LIFTING RING COVER TO TOP PANEL, No. 6-32 UNC X 1/24 LG (96906) MS51957-26	EA		4	*	*	*	*	1

(1) SMR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW			
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
0 00131	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: LIFTING RING COVER TO PANEL, 1/2 No. 10-32 UNF X 1/2 LG (96906) NS51958-64	EA		4	*	*	*	*
0 00132	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: FRAME TO TOP PANEL, No. 10-32 UNF X 3/4 LG (96906) NS51958-65	EA		31	*	*	*	*
0 00133	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: EVAPORATOR PAN OUTLET GUARD TO FRONT PANEL, LEFT SIDE PANEL AND MAINTENANCE PANEL MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) NS51958-65	EA		39	*	*	*	*
0 00134	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: FRAME TO RIGHT SIDE PANEL, CONDENSER GUARD AND FILTER DOOR MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) NS51958-65	EA		49	*	*	*	*
0 00135	5305-059-3671	SCREW, MACHINE, PAN HEAD, RECESSED: CONDENSER GUARD TO FRAME, BOTTOM 1/4-28 THD X 3/4 IN. LG (96906) NS51958-61	EA		2	*	*	*	*
00136		GROUP 22 - MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS							
00137		2207 - WINTERIZATION EQUIPMENT							
P 0 00138	4130-087-4566	HEATER, COMPRESSOR CRANKCASE (10855) HT32AZ223	EA		1	*	*	2	2
X20 00139		SPRING, HEATER, COMPRESSOR (10855) 6A20-1461	EA		1				
00140		2210 - DATA PLATTS							
X20 00141		DECAL, FRAME, CABINET (66935) 035-00077B900	EA		1				
X20 00142		DECAL, FRONT PANEL (66935) 035-00079B900	EA		2				

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION NO.
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
X20 00143		DECAL, FRONT AND MAINTENANCE PANEL (66935) 035-00088B900	EA		1					2 30
X20 00144		DECAL, FRONT PANEL (66935) 035-00082B900	EA		1					2 26
X20 00145		DECAL, LEFT SIDE PANEL (66935) 035-00078B900	EA		1					2 15
X20 00146		DECAL, PANEL (66935) 035-00081B900	EA		2					1 7
X20 00147		DECAL, PANEL (66935) 035-00083B900	EA		1					
X20 00148		DECAL, FILTER PANEL (66935) 035-00076B900	EA		1					
X20 00149		DECAL, CONTROL BOX (66935) 035-00084B900	EA		1					4 24
00154		GROUP 40 - GENERATOR AND ROTATING EXCITER ASSEMBLIES								
00155		4000 - MOTOR ASSEMBLY								
P O R 00160	6105-983-5843	MOTOR, BLOWER, EVAPORATOR: 1/3 HP (66935) 060-00621C900 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS OR MOTOR)	EA		1	*	*	*	2	9 10
P O R 00161	6105-891-7623	MOTOR, BLOWER CONDENSER: 1 1/2 HP (88422) 5K182H4580T (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE SUPPLY OF PROPER REPAIR PARTS OR MOTOR)	EA		1	*	*	*	2	8 11
0 00162	5306-638-7719	SCREW, CAP, HEXAGON HEAD: EVAPORATOR MOTOR MTG 5/16-24 UNF X 7/8 LG (96906) M535308-333	EA		4	*	*	*	*	9 11

(1) SUP CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS TRAT INDEX NO
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
0 00163	5305-708-8395	SCREW, CAP, HEXAGON HEAD: CONDENSER MOTOR MTG 3/8-24 THD X 1 3/8 IN. LG (96906) MS35308-363	EA		4	*	*	*	*	4
00173		4006 - STARTING AND PROTECTIVE DEVICES								
P.O. 00174	6110-706-5398	CONTACTOR, MOTOR: MAGNETIC, AC (15605) 9960H392B	EA	3	3	*	*	2	2	4
0 00177	5310-016-7326	NUT, SELF-LOCKING HEXAGON: CONTACTOR MOUNTING TO JUNCTION BOX, No. 10-32 UNF (96906) MS21045-3	EA	9	9	*	*	*	*	4
0 00178	5305-059-3657	SCREW, MACHINE, PAN HEAD, RECESSED: CONTACTOR MOUNTING TO JUNCTION BOX, No. 10-32 UNF X 3/8 LG (96906) MS19558-61	EA	7	7	*	*	*	*	4
0 00179	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: CONTACTOR AND CLAMP TO JUNCTION BOX, No. 10-32 UNF X 5/8 LG (96906) MS19558-64	EA	2	2	*	*	*	*	4
X20 00182		ADAPTER, ELECTRICAL CONNECTOR: DUAL PRESSURE (66935) 023-091058900	EA	1	1					4
X20 00183		CONNECTOR, PIN: DUAL PRESSURE SWITCH RECEPTACLE, BOX MOUNTING (96906) MS3102R1253PX	EA	1	1					4
X20 00184	5330-079-7838	GASKET, RUBBER: 1.004 sq (96906) MS51007-3	EA	1	1					4
0 00185	5310-982-5000	NUT, SELF-LOCKING HEXAGON: CONNECTOR TO ADAPTER MTG No. 4-40 THD (96906) MS21045C04	EA	4	4	*	*	*	*	4
0 00186	5305-054-5656	SCREW, MACHINE, PAN HEAD: CONNECTOR TO ADAPTER MTG No. 4-40 THD SIZE, 1 1/4 IN. LG (96906) MS51957-22	EA	4	4	*	*	*	*	4
X20 00188		WIRE, ELECTRICAL ASSEMBLY (66935) 360-002740972	EA	1	1					

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a)	(b)	(c)	(d)	
						1.5	6.20	21.50	51.100	ITE NO
X20 00189	5940-557-1627	TERMINAL PLUG: FOR No. 8 stud (96906) NS25036-53	EA	1						
X20 00190		WIRE, ELECTRICAL: AN-16 600V TYPE I (23 FT. REQUIRED)	FT							
X20 00191		(66935) 025-1404-900								
X20 00191		WIRE, ELECTRICAL JUMPER (66935) 060-002740975	EA	1						
00192		4009 - CONTROL PANELS, HOUSING, CUBICLES								
X20 00193		CONTROL BOX, PANEL ASSEMBLY (66935) 360-003460900	EA	1						
X20 00194		ADAPTER, ELECTRIC CONNECTION (66935) 023-091058900	EA	1						
X20 00195		BOX, CONTROL PANEL (66935) 360-004380900	EA	1						4 21
X20 00196		CHAIN, BEAD: WITH PLUG (66935) 360-003758900	EA	1						
X20 00197		FASTENER: BEAD CHAIN FOR 1/8 CHAIN	EA	2						4 55
X20 00198		CHAIN, BEAD: # 1 IN. LG (66935) 060-00377-900	EA	1						4 56
X20 00199		PLUG, DOT: 1 IN. OD (66935) 060-006204900	EA	1						4 57
0 00200	5320-117-6826	RIVET, UNIVERSAL HEAD SOLID: CHAIN TO CONTROL BOX VALL, AND PLUG 1/8 DIA X 1/4 LG (96906) NS20470AD4-4	EA	2		*	*	*	*	4 54
X20 00201		COVER, CONTROL BOX PANEL (66935) 360-00395C900	EA	1						4 28
X20 00202		GASKET, RUBBER: COVER (66935) 060-004310900	EA	1						4 29

(1) NBS CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY IN UNIT PACK	(6) QTY IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
00203	5640-785-7888	REFERENCE NO. & MFR. CODE INSULATION, RUBBER (66935) 060-00612B900 MANUFACTURE FROM: INSULATION, RUBBER (6 3/4 X 5 1/2 IN. REQUIRED)	EA	1	1	1-5	6-20	21-50	51-100	4	33
00204	5640-785-7888	GASKET, RUBBER; CONTROL PANEL (66935) 060-00611B900	SH	1	1	SEE GRP 9501				4	18
00205	5640-785-7888	INSULATION, RUBBER (66935) 060-00613B900 MANUFACTURE FROM:	EA	2	2					4	19
00206	5640-785-7888	INSULATION, RUBBER (66935) 060-00613B900 MANUFACTURE FROM:	EA	2	2					4	19
00207	5640-785-7888	INSULATION, RUBBER (66935) 060-00612B900 MANUFACTURE FROM: (4 3/8 X 6 9/16 IN. REQUIRED FOR 1 EACH)	SH	1	1	SEE GRP 9501				4	20
00208	5640-785-7888	INSULATION, RUBBER (66935) 060-00612B900 MANUFACTURE FROM:	EA	1	1					4	20
00209	5640-785-7888	INSULATION, RUBBER (4 3/8 X 8 7/8 IN. REQUIRED)	SH	1	1	SEE GRP 9501				4	20
00210	5640-785-7888	NUT, SELF-LOCKING PLATE; No. 10-32 UNF (03680) SP513605-02	EA	8	8					4	40
00211	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: 3/32 DIA X 5/16 LG (96906) MS20H26AD3-5	EA	16	16	*	*	*	*	4	39
00212	5310-061-7326	SCREW, MACHINE, PAN HEAD, RECESSED: COVER TO CONTROL PANEL, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA	8	8	*	*	*	*	4	32
00213	5310-061-7326	WIRE ASSEMBLY, ELECTRICAL (66935) 360-00274D971 MANUFACTURE FROM:	EA	2	2						
00214	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (23 FT. REQUIRED)	EA	1	1						
00215	5940-557-1627	TERMINAL, LUGS: FOR No. 8 STUD (96906) MS25036-53	EA	1	1						
00216	5330-079-7840	GASKET, RUBBER: 1 3/8 sq (96906) MS51007-6	EA	1	1					4	27

(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
0 00217	5310-982-5000	NUT, SELF-LOCKING HEXAGON: HARNESS TO COVER, No. 4-40 UNC (96906) MS2104-5C04	EA	4		*	*	*		4 36
M O 00218		HARNESS, WIRING CONTROL BOX (66935) 360-00359C900 MANUFACTURE FROM:	EA	1						4 26
X20 00219	5935-801-6617	CONNECTOR, PIN: CONTROL BOX MOUNTING (96906) MS3102R18-4P	EA	1						4 25
X20 00220		TWINE LACING: ELECTRIC HARNESS (66935) 025-14416-900	FT	6						
M O 00221		INSULATION TUBING: 5/16 DIA NON RIGID (66935) 060-00495-900 MANUFACTURE FROM:	EA	1						
P O 00222	5970-899-7760	INSULATION TUBING: 5/16 IN. DIA, NON RIGID (18 IN. REQUIRED)	FT		SEE GHP 9501					
P O 00223	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT	6						4 23
0 00224	5310-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: CONTROL BOX MOUNTING TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51954-65	EA	8		*	*	*		
0 00225	5305-054-5651	SCREW, MACHINE, PAN HEAD, RECESSED: HARNESS TO COVER, No. 4-40 UNC X 1/2 LG (96906) MS51957-17	EA	4		*	*	*		4 31
00226		4011 - CIRCUIT BREAKERS, CUTOUTS, FUSE AND FUSE HOLDERS								
P O 00227	5925-068-3940	CIRCUIT, BREAKER (66935) 060-00497B900	EA	1		*	*	*	2	4 3
X20 00228		SCREW: SHIELD MOUNTING CIRCUIT BREAKER (97539) HE1070A55Y	EA	6						4 1
X20 00229	5945-974-5846	SHIELD, CIRCUIT BREAKER (97539) 025HE1050A55Y	EA	1						4 2

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15 DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUSTRATION	
					(a) 1-5	(b) 6-70	(c) 71-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
	REFERENCE NO. & MFR. CODE	USABLE ON CODE								
	4012 - SWITCHES									
5355-875-6235	KNOB, POINTER, ROTARY SWITCH (96906) MS25165-1	EA	1		*	*	*	*	4	59
5355-579-2896	NUT, ROTARY SWITCH (96906) MS25165-1	EA	1		*	*	*	*	4	58
5945-052-9018	RELAY ASSEMBLY: TIME DELAY (82768) DTH4220VA	EA	1		*	*	*	2	4	64
5305-054-6657	SCREW, MACHINE, PAN HEAD, RECESSED: RELAY TO JUNCTION Box, No. 6-32 UNC X 7/8 LG (96906) MS51957-33	EA	2		*	*	*	*	4	65
5310-889-2544	NUT, SELF-LOCKING HEXAGON: RELAY TO JUNCTION BOX, No. 6-32 UNC (96906) MS21045-06	EA	2		*	*	*	*	4	12
5930-669-9958	SWITCH, ROTARY, 3 POSITION (76055) 173C MODIFIED	EA			*	*	*	2	4	46
4130-087-4565	THERMOSTAT, CRANKCASE (10855) 76HC231-1122	EA	1		*	*	2	2	7	33
	4018 - TERMINAL BLOCKS, JUNCTION BOXES									
	BOARD, TERMINAL: JUNCTION BOX ASSEMBLY (75382) NO3-603	EA	1						4	63
5330-914-7651	GASKET, RUBBER: CONNECTOR MTG (96906) MS51007-12	EA	1						4	7
5330-836-4355	GASKET, RUBBER: CONNECTOR MTG (96906) MS51007-7	EA	1						4	15



(1) SAP STOCK INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
						(a)	(b)	(c)	(d)	
						1-5	6-20	21-50	51-100	(9) FIG IT NO
M O 00245		HARNESS WIRING: DISTRIBUTOR JUNCTION BOX (66935) 360-003430900 MANUFACTURE FROM:	EA		1					
X20 00246	5935-991-7233	CONNECTOR, SOCKET RECEPTACLE: BOX MOUNTING (96906) MSJ02R32-6S	EA		1					4
X20 00247	5940-204-9142	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-12	EA		15					
X20 00248	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		30					
X20 00249	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		6					
X20 00250		TWINE, LACING: ELECTRIC, HARNESS (66935) 025-14416-900	FT		15					
P O 00251	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900	FT		6					
P O 00252	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		19					
M O 00253		WIRE, ELECTRICAL: JUMPER (66935) 360-002740923 MANUFACTURE FROM:	EA		1					
P O 00254	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		25					
X20 00255	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		1					
X20 00256	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		1					
M O 00257		WIRE, ELECTRICAL: JUMPER (66935) 360-002740924 MANUFACTURE FROM:	EA		1					
P O 00258	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		25					

(1) SAR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS TRAT (a) FIG NO
						(a)	(b)	(c)	(d)	
						1-5	6-20	21-50	51-100	
X20 00259	5940-644-8713	TERMINAL, LUG; CRIMP FOR No. 10 STUD (96906) MS25036-8	EA	2						
X20 00260	5940-534-0970	TERMINAL, LUG; CRIMP FOR No. 6 STUD (96906) MS25036-7	EA	1						
M O 00261		WIRE, ELECTRICAL: DELAY SWITCH MANUFACTURE FROM:  WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	EA	1						
P O 00262	6145-578-7515	TERMINAL, LUG; CRIMP FOR No. 10 STUD (96906) MS25036-8	FT	67						
X20 00263	5940-644-8713	WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-00274D974 MANUFACTURE FROM:	EA	1						
M O 00264		WIRE, ELECTRICAL: DELAY SWITCH (66935) 025-14404-900	EA	1						
P O 00265	6145-578-7517	TERMINAL, LUG; CRIMP FOR No. 10 STUD (96906) MS25036-8	FT	92						
X20 00266	5940-644-8713	BOX, POWER INPUT (66935) 360-00373C900	EA	1						
X20 00267		RIVET, BLIND, FLUSH: .091 DIA X .328 LG (96906) MS20605AD3M4	EA	1						
O 00268	5320-761-3134	NUT, SELF-LOCKING PLATE: POWER BOX TO FRAME, PANEL TO POWER BOX, No. 10-32 UNF (03680) CFS13605-02	EA	10		*	*	*	*	
X20 00269		CAP, DUST: ELECTRICAL RECEPTACLE (96906) MS25043-22C	EA	5						
X20 00270	5935-577-8989	CONNECTOR, CONDUIT BOX: COMPRESSOR (96906) MS3102R2411P	EA	1						
X20 00271	5935-847-0568	COVER, CONDUIT BOX: COMPRESSOR (10855) 76HC381-134	EA	1						
X20 00272			EA	1						

(1) FEDERAL ACQUISITION NUMBER	(2) FEDERAL ACQUISITION NUMBER	(3) DESCRIPTION	(4) UNIT OF MEASURE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT PACK	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOWANCE				(8) ILLUSTRATION NO.
						(a) 15	(b) 6.20	(c) 71-50	(d) 51-100	
73	5340-929-3506	CLAMP, TUBE: INSULATION TUBING (96906) MS21322-40	EA	7						42
74	5325-174-9008	GROMMET, RUBBER: PROTECTS HARNESS THROUGH EVAPORATOR SECTION DICK, 1/2 ID X 1/2 OD 1/4 THK (96906) MS35489-15	EA	1						
75		HARNESS, WIRING POWER DISTRIBUTOR (66935) 369-00275E900 MANUFACTURE FROM:	EA	1						
76		CONNECTOR, PIN: JUNCTION BOX (96906) MS25183-32-6P	EA	1						10
77		CONNECTOR, SOCKET: COMPRESSOR (96906) MS25183-24-115	EA	1						
78		CONNECTOR, SOCKET: CONTROL PANEL (96906) MS25183-18-45	EA	1						30
79	5935-581-4193	CONNECTOR, SOCKET: EVAPORATOR AND CONDENSER FAN MOTOR (96906) MS25183-165	EA	2						
80	5935-559-1782	CONNECTOR, SOCKET: SOLENOID VALVE (96906) MS25183-12535	EA	1						
81		CONNECTOR, SOCKET: DUAL PRESSURE SWITCH (96906) MS25183-12535X	EA	1						
82		TWINE, LACING: ELECTRICAL HARNESS (AS REQUIRED) (66935) 025-14416-900	FT							
83		INSULATION, TUBING: JUNCTION BOX PIN CONNECTOR TO BRANCH, 7/8 DIA (66935) 060-00496-900	EA	1						
84	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (9 FT REQUIRED) (66935) 025-14404-900	FT							
85	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900 (19 FT REQUIRED)	FT							

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION
					(a)	(b)	(c)	(d)	
	REFERENCE NO. & MFR. CODE	USABLE ON CODE			1-5	6-20	21-50	51-100	
	HARNESS, WIRING: POWER INPUT BOX (66935) 360-003250900 MANUFACTURE FROM: CONNECTOR, PIN: BOX MOUNTING (96906) MS3103-22-22P CONNECTOR, SOCKET (96906) MS25183-22-22S STRAP, CABLE (59730) TANDBIT25 WIRE, ELECTRICAL: AN-8 600V TYPE II (66935) 025-14401-900 HARNESS, WIRING: POWER INPUT JUNCTION BOX (66935) 360-003360900 MANUFACTURE FROM: CONNECTOR, PIN, RECEPTACLE: BOX MOUNTING (96906) MS3102R22-22P WIRE, ELECTRICAL: AN-8 600V TYPE II (18 IN. REQUIRED) (66935) 025-14401-900 TERMINAL, LUG: CRIMP FOR No. 10 STD (96906) MS25036-15 NUT, SELF-LOCKING HEXAGON: WIRING HARNESS AND TERMINAL BOARD TO JUNCTION BOX, No. 8-32 UNC (96906) MS21045-08 NUT, SELF-LOCKING HEXAGON: HARNESS TO POWER BOX, No. 1/4-10 UNC (96906) MS21045C04 NUT, SELF-LOCKING HEXAGON: GROUND No. 1/4-10 THD (96906) MS21045C04 NUT, HEXAGON: CLAMP TO CONTROL BOX, No. 10-32 UNF (96906) MS35650-102	EA EA EA EA FT EA EA FT EA EA EA EA EA EA EA EA EA EA EA	1 1 1 4 1 1 4 1 1 4 6 4 2 2						13 49 48 47 14 6 36 8 45

(1) SMR STOCK INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUSTRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
		REFERENCE NO. & MFR. CODE	USABLE ON CODE								
0 00303	5305-054-6672	SCREW, MACHINE, PAN HEAD, RECESSED: TERMINAL BOARD AND WIRING HARNESS TO JUNCTION BOX, No. 8-32 UNF X 3/4 LG (96906) MS1957-47	EA	6		*	*	*	*	4	17
0 00304	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: PLATE TO JUNCTION BOX, No. 10-32 UNF X 1/2 LG (96906) MS1958-63	EA	2		*	*	*	*	8	1
0 00305	5305-054-5651	SCREW, MACHINE, PAN HEAD, RECESSED: GROUND No. 4-40 UNF X 1/2 LG (96906) MS1957-47	EA	1		*	*	*	*	3	40
0 00306	5305-071-1322	SCREW, MACHINE, FLAT HEAD, RECESSED: POWER BOX MOUNTING TO FRAME, No. 10-32 UNF X 1/2 LG (96906) MS1960-65	EA	2		*	*	*	*	4	53
0 00308	5305-054-6670	SCREW, MACHINE, PAN HEAD: CONTROL BOX MTC PLATE TO MOUNTING, No. 8-32 THD SIZE, 1/2 IN. LG (96906) MS1957-45	EA	2		*	*	*	*	8	15
0 00309	5305-059-3662	SCREW, MACHINE, PAN HEAD, RECESSED: CLAMP TO CONTROL BOX, No. 10-32 UNF X 7/8 LG (96906) MS1958-66	EA	1		*	*	*	*	4	22
0 00310	5310-809-8746	WASHER, FLAT: CLAMP TO CONTROL BOX, .218 ID X .437 OD X .049 (96906) MS27183-8	EA	2		*	*	*	*	4	43
0 00311	5310-082-1404	WASHER, FLAT: GROUND, .156 ID X .375 OD X .049 (96906) MS27183-6	EA	2		*	*	*	*	3	7
0 00312	5310-889-2708	WASHER, LOCK: IET, GROUND, No. 6 SCREW (96906) MS15904-54	EA	1		*	*	*	*	3	6
0 00313	5310-058-2551	WASHER, LOCK, SPRING SPLIT: CLAMP TO CONTROL BOX, .194 ID X .040 (96906) MS35337-81	EA	1		*	*	*	*	4	44

(1) SUP CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE				(8) ILLU TRAT
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
00314		GROUP 52 - REFRIGERATION AND AIR CONDITIONING COMPONENTS								
00320		5217 - REFRIGERANT PIPING								
P O 00391	5935-052-2931	COIL, SOLENOID VALVE (70255) X9600FR208-60-18	EA		1	*	*	2	2	5
00427		5241 - EVAPORATOR								
X20 00430		CAP, SEAL: EVAPORATOR DRAIN (99017) CAPLUGN09	EA		1					7
X20 00431	4730-542-3019	CLAMP, HOSE: CONDENSATE DRAIN HOSE (96906) M535842-1	EA		4					7
X20 00433		CONNECTOR, DRAIN: CONDENSATE (66935) 360-00333C900	EA		1					7
X20 00434		NUT, SELF-LOCKING PLATE: DRAIN CONNECTION TO PANEL MOUNTING, No. 10-32 UNF (03686) SPS13605-02	EA		1					7
0 00437	5320-117-6939	RIVET, COUNTERSUNK HEAD SOLID: NUT PLATE CHAIN CONNECTION, 3/32 DIA X 5/16 LG (96906) MS20426AD3-5	EA		2	*	*	*	*	7
0 00438	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: DRAIN BRACKET TO FRAME MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) M551960-67	EA		2	*	*	*	*	7
M O 00442		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00407-900 MANUFACTURE FROM:	EA		1					7
P O 00443	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK (48 IN. REQUIRED)	FT				SEE GRP 950			

(1) SHR CODE INDEX NO	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC INIT PACK	(6) QTY INC INIT UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100		
X20 00444		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00408-900 MANUFACTURE FROM:	EA		1					7	28
P O 00445	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK (18 IN. REQUIRED)	FT			SEE GRP 950					
00446		5243 - BLOWER ASSEMBLY									
X20 00448		BRACKET, HOUSING EVAPORATOR BLOWER: HOUSING TO FRAME (66935) 060-00342B900	EA	4	4					9	5
X20 00452		HOUSING, BLOWER EVAPORATOR (66935) 360-003080900	EA	2	2					9	3
X20 00453		NUT, SELF-LOCKING PLATE: RING TO HOUSING AND HOUSING TO FRAME, No. 10-32 UNF (03680) SPS13605-02	EA	24	24					9	4
0 00454	5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUTS TO HOUSING, .094 DIA X .328 LG (96906) MS20605AO3W4	EA	48	48	*	*	*	*	9	12
0 00457	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET TO HOUSING, No. 10-32 UNF (96906) MS21045-3	EA	8	8	*	*	*	*	9	8
X20 00459		RING, INLET, EVAPORATOR BLOWER HOUSING (66935) 00838C900	EA	4	4					9	2
0 00461	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: RING TO HOUSING, No. 10-32 UNF X 1/4 LG (96906) MS51958-63	EA	24	24	*	*	*	*	9	1
X20 00464		WHEEL, FAN, EVAPORATOR: COUNTERCLOCKWISE (60395) 6100314CWSTEEL	EA	1	1					9	6
X20 00465		WHEEL, FAN EVAPORATOR: COUNTERCLOCKWISE (60395) 6100314CWSTEEL	EA	1	1					9	9
X20 00467		WHEEL, FAN, CONDENSER: COUNTERCLOCKWISE (60395) LED816-400-305-1CWSTEEL	EA	1	1					8	13

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEASURE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15 DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUSTRATION			
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO	(b) ITEM NO		
5305-013-9043	REFERENCE NO. & MFR. CODE  WHEEL, FAN, CONDENSER: COUNTERCLOCKWISE (60399) LED816-400-305-1CCWSTEEL  SETSCREWS: CONDENSER FAN WHEEL 5/16-24 TWO X 3/8 IN. LG  BRACKET, MOUNTING: DAMPER CONTROL (66935) 360-00393C900  NUT, SELF-LOCKING PLATE: MOUNTING ON BRACKET, NO. 10-32 UNF (03680) SPS13605-02  RIVET, BLIND, FLUSH: PLATE NUT TO BRACKET, .094 DIA X .328 LG (96906) MS20605AD3W4  CLAMP, TUBE: CONTROL CABLE (96906) MS21322-34  CONTROL, DAMPER, REMOTE REGULATOR (70436) 270-032-575  CABLE, ASSEMBLY CONTROL: REMOTE CONTROL TO DAMPER, 38 LG (70436) 026-14599C900  DAMPER ASSEMBLY: LEFT SIDE (66935) 360-00392D900  BAR, DAMPER: 1.0T (66935) 060-00319C900  GASKET, RUBBER: BLADES (66935) 060-00424-900  GASKET, RUBBER: PAD STOP (66935) 060-00433-900  GASKET, RUBBER: PAD STOP (66935) 028-07869A900  RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA	1						8	3		
		EA	2								8	4
		EA	2								10	18
		EA	6								10	16
5320-761-3134		EA	12		*	*	*	*	*		10	20
5430-901-1320		EA	6								10	5
		EA	2								10	15
		EA	2								10	6
		EA	1								10	23
		EA	6								10	12
		EA	1								10	21
		EA	1								10	22
5320-855-1316		EA	6		*	*	*	*	*		10	7



(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUSTRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) 10	(b) 15
0 00482	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .312 OD X .032 (96906) MS15795-804	EA		18	*	*	*	*	10	8
X20 00483		DAMPER ASSEMBLY: RIGHT SIDE (66935) 360-00391D900	EA	1							
X20 00484		BAR, DAMPER: SIDE (66935) 060-00319C900	EA	1						10	23
X20 00485		GASKET, RUBBER: BLADES (66935) 060-00414-900	EA	6						10	12
X20 00486		GASKET, RUBBER: PAD STOP (66935) 028-07869A900	EA	1						10	11
X20 00487		GASKET, RUBBER: PAD STOP (66935) 060-00433-900	EA	1						10	24
0 00488	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA	6		*	*	*	*	10	7
0 00489	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .312 OD X .032 (96906) MS15795-804	EA	18		*	*	*	*	10	8
X20 00490		DAMPER ASSEMBLY: RIGHT REAR (66935) 360-00389D900	EA	1							
X20 00491		BAR, DAMPER: REAR (66935) 060-00320C900	EA	1						10	27
X20 00492		GASKET, RUBBER: PAD STOP (66935) 060-00413-900	EA	1						10	9
X20 00493		GASKET, RUBBER: PAD STOP (66935) 060-00412-900	EA	1						10	26
X20 00494		GASKET, RUBBER: BLADES (66935) 060-00425-900	EA	6						10	25

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(8) ILLUS- TRATION
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	
0 00495	5320-855-1316	REFERENCE NO. & MFR. CODE RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA	6		*	*	*	*	10
0 00496	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .032 (96906) MS15795-804	EA	18		*	*	*	*	10
X20 00497		DAMPER, ASSEMBLY: LEFT REAR (66935) 360-003900900	EA	1		*	*	*	*	10
X20 00498		BAR, DAMPER: REAR (66935) 060-003200900	EA	1		*	*	*	*	10
X20 00499		GASKET, RUBBER: PAD STOP (66935) 060-00413-900	EA	1		*	*	*	*	10
X20 00500		GASKET, RUBBER: PAD STOP (66935) 060-00412-900	EA	1		*	*	*	*	10
X20 00501		GASKET, RUBBER: BLADES (66935) 060-00425-900	EA	6		*	*	*	*	10
0 00502	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158	EA	6		*	*	*	*	10
0 00503	5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY .125 ID X .312 OD X .032 (96906) MS15795-804	EA	18		*	*	*	*	10
X20 00504	5355-538-7331	KNOB, POINTER: DAMPER CONTROL (96906) MS25166-1	EA	2		*	*	*	*	10
0 00505	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET, DAMPER AND CLAMP MTG, No. 10-32 THD (96906) MS21045-3	EA	22		*	*	*	*	10
0 00506	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: DAMPER TO FRAME AND CONTROL CABLE TO DAMPER ARM, No. 10-32 THD X 1/2 IN. LG (96906) MS15958-63	EA	10		*	*	*	*	10
0 00507	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: CABLE CLAMP TO LIFTING CABLE, No. 10-32 LINE X 5/8 LG	EA	4		*	*	*	*	10

(1) SWP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(7) 15-DAY ORGANIZATIONAL MAINTENANCE				(8) ILLUS- TRATION	
					(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(9) FIG NO.	(10) ITEM NO.
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
0 00508	5305-059-3661	SCREW, MACHINE, FLAT HEAD, RECESSED: DAMPER AND BRACKET TO FRAME MTG. No. 10-32 THD X 3/4 IN. LG (96906) MS51960-65	EA	2	*	*	*	*	10	17
0 00509	5305-071-1323	SCREW, MACHINE, FLAT HEAD, RECESSED: CABLE CLAMP TO FRAME, No. 10-32 UNF X 5/8 LG (96906) MS51960-66	EA	2	*	*	*	*	10	14
0 00510	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: DAMPER FRAME MOUNTING, No. 10-32 UNF X 3/4 LG (96906) MS51960-67	EA	2	*	*	*	*	10	10
0 00511	5310-514-6674	WASHER, LOCK, EXTERNAL TOOTH: CONTROL CABLE TO DAMPER ARM, FOR No. 10 SCREW (96906) MS35335-6	EA	4	*	*	*	*	10	28
00512		5244 - THERMOSTATIC CONTROLS								
P O 00513	6685-997-9776	THERMOSTAT ASSEMBLY (40931) T473C1050	EA	1	*	*	*	2	4	60
0 00514	5305-619-4989	SCREW, MACHINE, SOCKET HEAD: THERMOSTAT COVER MTG No. 4-32 THD X 1/4 IN. LG	EA	6	*	*	*	*	4	62
X20 00515		NUT, SELF-LOCKING HEXAGON: THERMOSTAT TO CONTROL BOX, No. 6-32 UNC (96906) 021-13080-900	EA	3					4	41
X20 00516	5325-276-6100	GROMMET, RUBBER (96906) MS35489-14	EA	1					4	16
X20 00517		SCREW, MACHINE, PAN HEAD, RECESSED: THERMOSTAT TO CONTROL BOX, No. 6-32 UNF X 1 LG (96906) MS51958-34	EA	3					4	61
00518		5245 - AIR FILTERS								
P O 00519	4130-983-5888 (01970) DMHA3556	FILTER, AIR	EA	2	2	*	2	2	10	13

(1) MR CODE DEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(8) ILLUS- TRATION	
						(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) FIG NO.	(b) ITEM NO.
520		GROUP 95 - GENERAL USE FOR STANDARDIZED PARTS									
521		9501 - BULK MATERIAL									
522	5610-785-7888	INSULATION RUBBER: 1/2 IN. THK, 1/4 FT 8 IN. W, 7 FT LG	SH			*	*	*	*		
523	5610-914-6031	INSULATION, RUBBER: 1 IN. THK, 1/4 FT 8 IN. W, 7 FT LG	SH			*	*	*	*		
524	5970-899-7760	INSULATION TUBING	FT			*	*	*	*		
529	4720-235-1777	TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK	FT			*	*	*	*		

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 30 DAY DS MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY GS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR MAINT PER EQUIP 100 FACTORY EQUIP	(10) DEPOT MAINT PER EQUIP 100	(11) ILLUS- TRATION (a) (b) (c) F/G ITEL NO
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
		SECTION V - REPAIR PARTS FOR DS, GS, AND DEPOT MAINTENANCE								
		GROUP 15 - FRAME								
		1501 - FRAME ASSEMBLY								
F 00003		FRAME ASSEMBLY (66935) 360-003160900	EA	1						1 30
X2F 00004		ANGLE, REMOVABLE (66935) 360-003760900	EA	1						3 36
X2F 00005	5325-285-3373	FASTENER, SPRING LATCH: FRAME TO FILTER ACCESS PANEL AND MAINTENANCE PANEL (72794) 53-150	EA	3						3 5
X2F 00006	1670-180-5309	FITTING, TIE DOWN: LIFTING RING (88044) AN7516-1	EA	4						1 26
X2F 00007		NUT, SELF-LOCKING PLATE: MOUNTING COMPRESSOR TRAY TO FRAME, 5/16-24 UNF (03680) SP513605-054	EA	8						1 22
X2F 00008		NUT, SELF-LOCKING PLATE: MOUNTING COMPRESSOR TRAY AND FRAME TO REMOVABLE ANGLE, 1/4-28 UNF (03680) SP513605-048	EA	12						3 34
X2F 00009		NUT, SELF-LOCKING PLATE: FRAME TO EVAPORATOR MOTOR, 3/8-24 UNF (03680) SP513605-064	EA	4						1 23
X2F 00010		NUT, SELF-LOCKING PLATE: FRAME TO REMOVABLE ANGLE, No. 10-32 UNF (03680) SP513605-02	EA	8						3 29
X2F 00011		NUT, SELF-LOCKING PLATE: PANEL TO FRAME MTG SCREW (03680) SP513605-02	EA	138						1 27
F 00012	5320-060-1180	RIVET, COUNTERSINK HEAD, SOLID: FRAME TO REMOVABLE ANGLE, 3/32 DIA X 3/8 LG (96986) MS20427-3C6	EA	12						3 38

(1) FEDERAL STOCK INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) QTY IN UNIT	(5) QTY IN UNIT	(6) QTY IN UNIT	(7) 30 DAY MAINT ALLOWANCE 1-20 21 50 61 100 1-20 21 50 61 100	(8) 30 DAY MAINT ALLOWANCE 1-20 21 50 61 100 1-20 21 50 61 100	(9) 1-YR MAINT ALLOWANCE 1-20 21 50 61 100 1-20 21 50 61 100	(10) DEPOSIT 1-20 21 50 61 100 1-20 21 50 61 100	(11) ILLUS- TRATION 1-20 21 50 61 100 1-20 21 50 61 100
F 00013	5320-117-6943	RIVET, COUNTERSUNK HEAD, SOLID; PLATE NUT ATTACHING, 3/32 DIA X 9/16 LG (96906) NS20A-26AD3-9	EA	EA	60	*	*	*	*	2
F 00014	5320-761-3134	RIVET, BLIND, FLUSH; FRAME TO DAMPER, 1/8 DIA X 3/8 LG (96906) NS20A-26AD3-4	EA	EA	4	*	*	*	*	1
F 00015	5320-581-0672	RIVET, COUNTERSUNK HEAD, SOLID; FRAME TO CONDENSER COVER, 3/32 DIA X 3/8 LG (96906) NS20A-26AD3-6	EA	EA	234	*	*	*	*	3
X2F 00016		RIVET, BLIND, FLUSH; FRAME TO FILTER ACCESS PANEL, 1/8 DIA X 3/8 LG (96906) NS20A-26AD3-3	EA	EA	4	*	*	*	*	3
F 00017	5320-052-7997	RIVET, BLIND, FLUSH; FRAME TO MAINTENANCE PANEL, 1/8 DIA X 3/8 LG (96906) NS20A-26AD3-4	EA	EA	2	*	*	*	*	3
F 00018	5320-117-6853	RIVET, UNIVERSAL HEAD, SOLID; LIFTING RING COVER, 3/16 DIA X 1/2 LG (96906) NS20A-26AD3-8	EA	EA	24	*	*	*	*	1
F 00019	5320-557-1427	RIVET, BLIND, FLUSH; MOUNTING COMPRESSOR TRAY TO FRAME, 1/8 DIA X 5/16 LG (96906) NS20A-26AD3-7	EA	EA	24	*	*	*	*	1
X2F 00020		RIVET, NUT, COUNTERSUNK; FRAME TO RIGHT SIDE PANEL, NO. 10-32 CLOSED END (03481) S310XB216	EA	EA	6	*	*	*	*	1
M F 00021		INSULATION, RUBBER; FRAME (66935) 060-00103C900 MANUFACTURE FROM:	EA	EA	2					1
P F 00022	5610-785-7888	INSULATION, RUBBER (16 1/4 X 18 IN. REQUIRED)	FT	FT		SEE SPP 9501				1
M F 00023		INSULATION RUBBER; FRAME (66935) 060-00103C900 MANUFACTURE FROM:	EA	EA	1					1
P F 00024	5610-785-7888	INSULATION RUBBER (14 1/2 X 33 IN. REQUIRED)	FT	FT		SEE SPP 9501				1

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE  USABLE ON CODE	(4) UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 30 DAY INS MAINT ALLOWANCE (a) (b) (c)	(8) 30 DAY COMMA ALLOWANCE (a) (b) (c)	(9) 1-YR PER 1000 ENTQCY	(10) DEPOT REPAIR PER 1000 EQUIP	(11) ILLUS- TRATION (a) (b) (c)
M F 00025		INSULATION, RUBBER; FRAME (66935) 060-00214500 MANUFACTURE FROM:	EA	2						1
P F 00026	5640-914-6091	INSULATION SHEET (15 X 41 IN. REQUIRED)	FT			SEE SRP 9501				1
M F 00027		INSULATION, RUBBER; FRAME (66935) 060-00406-900 MANUFACTURE FROM:	EA	1						1
P F 00028	5640-914-6031	INSULATION SHEET (1 X 41 IN. REQUIRED)	FT			SEE SRP 9501				1
M F 00029		INSULATION, RUBBER; FRAME (66935) 060-00506A900 MANUFACTURE FROM:	EA	1						1
P F 00030	5640-914-6031	INSULATION, RUBBER (14 3/8 X 41 IN. REQUIRED)	FT			SEE SRP 9501				1
F 00031	5310-061-7326	NUT, SELF-LOCKING, HEXAGON; REMOVABLE PANEL, No. 10-32 UNF (96906) MS21045-3	EA	8		*	*	*	*	3
F 00032	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED; FRAME TO REMOVABLE PANEL, No. 10-32 UNF X 3/4 LG (96906) MS51960-67	EA	2		*	*	*	*	3
F 00033	5306-638-7719	SCREW, CAP HEXAGON HEAD; FRAME TO MOUNTING COMPRESSOR TRAY, 5/16-24 UNF X 7/8 LG (96906) MS35308-333	EA	4		*	*	*	*	3
X2F 00034		TRAY, MOUNTING, COMPRESSOR (66935) 360-0031ND900	EA	1						3
X2F 00035		NUT, SELF-LOCKING PLATE; FRAME TO MOUNTING COMPRESSOR TRAY, 5/16-24 UNF (03680) SP513605-054	EA	2						1
X2F 00036		NUT, SELF-LOCKING PLATE; FRAME TO MOUNTING COMPRESSOR TRAY, 1/4-28 UNF (03680) SP513605-048	EA	1						3

(1) SUB CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR PER 100 EQUIP DUTY	(10) DEPOSIT MAINT ALWT PER 100 EQUIP	(11) ILLU- STRAT- ION
						(a)	(b)	(c)	(a)	(b)	(c)			
F 00037	5320-957-1427	RIVET, BLIND, FLUSH; FRAME TO MOUNTING COMPRESSOR TRAY, 1/8 DIA X .544 LG (96906) MS20605AD4W7	EA		4	*	*	*	*	*	*	*	*	1
F 00038	5320-117-6942	RIVET, COUNTERSUNK HEAD, SOLID; FRAME TO MOUNTING COMPRESSOR TRAY, 3/32 DIA X 1/2 LG (96906) MS20426AD3-B	EA		6	*	*	*	*	*	*	*	*	3
F 00039		NUT, SELF-LOCKING PLATE; LEFT SIDE PANEL TO MAINTENANCE PANEL, No. 10-32 UNF (03680) SPS13605-02	EA		6									2
00040		GROUP 18 - BODY, CAB, HOOD, AND HULL												
00041		1801 - PANELS												
X20 00042		COVER, LIFTING RING (66935) 060-00340B900	EA		4									1
X20 00043		GUARD, CONDENSER (66935) 360-00382D900	EA		1									3
X20 00044		GUARD, EVAPORATOR FAN OUTLET (66935) 360-00268C900	EA		2									2
X20 00045		PANEL, FILTER (66935) 360-00368C900	EA		1									3
X20 00046	5325-281-4968	FASTENER, GROMMET; PANEL, FILTER (72794) GA3-200	EA		10									3
X20 00047	5325-489-1054	FASTENER, SELF-LOCKING; PANEL, FILTER (72794) A3-30	EA		2									3
M O 00048		INSULATION, RUBBER; PANEL, FILTER (66935) 060-00370-900 MANUFACTURE FROM:	EA		1									
P O 00049	5640-914-6031	INSULATION, RUBBER (2 5/8 X 4 IN. REQUIRED)	FT											
X20 00050		PANEL, FRONT (66935) 360-00344D900	EA		1									2

SEE GRP 9501



(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC UNIT PACK	(7) QTY INC UNIT PACK	(8) 30-DAY MAINT ALLOWANCE			(9) I-YR ALW PER EQUIP CONTACT	(10) DEPOT MAINT PER EQUIP 100	(11) ILLUS- TRATION FIG NO.
							(a)	(b)	(c)			
							1-20	21-30	31-100			
X20 00051		GASKET, RUBBER: FRONT PANEL (66935) 060-003484900		EA	2							2
X20 00052		GASKET, RUBBER: FRONT PANEL (66935) 060-003494900		EA	1							2
X20 00053		GASKET, RUBBER: FRONT PANEL (66935) 060-003504900		EA	2							2
X20 00054		GASKET, RUBBER: FRONT PANEL (66935) 060-003514900		EA	6							2
X20 00055		GASKET, RUBBER: FRONT PANEL (66935) 060-003524900		EA	3							2
X20 00056		GASKET, RUBBER: FRONT PANEL (66935) 060-003534900		EA	2							2
X20 00057		GASKET, RUBBER: FRONT PANEL (66935) 060-003544900		EA	4							2
X20 00058		GASKET, RUBBER: FRONT PANEL (66935) 060-003554900		EA	1							2
X20 00059		GASKET, RUBBER: FRONT PANEL (66935) 060-003564900		EA	1							2
M O 00060		INSULATION, RUBBER: FRONT PANEL (66935) 060-00599-900 MANUFACTURE FROM:		EA	1							2
P O 00061	5640-914-6031	INSULATION, RUBBER (1/4 X 8 3/4 IN. REQUIRED)		FT		SEE ERP 9501						
M O 00062		INSULATION, RUBBER: FRONT PANEL (66935) 060-003564900 MANUFACTURE FROM:		EA	2							2
P O 00063	5640-914-6031	INSULATION, RUBBER (8 3/4 X 17 1/4 IN. REQUIRED FOR EACH)		FT		SEE ERP 9501						

(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLIANCE	(8) 30 DAY OS MAINT ALLIANCE	(9) 1-YR ALW PER CHRG	(10) DEPOT MAINT ALW PER CHRG	(11) ILLUS- TRATION
5610-914-6031	INSULATION, RUBBER: FRONT PANEL (66935) 060-00355A900 MANUFACTURE FROM:  INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	EA	1	1	1 20 21 50 100 1 20 21 50 100	1 20 21 50 100 1 20 21 50 100			2 27
5610-914-6031	INSULATION, RUBBER: FRONT PANEL (66935) 060-00355A900 MANUFACTURE FROM:  INSULATION, RUBBER (12 1/4 X 13 3/4 IN. REQUIRED)	EA	1	1	SEE GRP 9501	SEE GRP 9501			2 34
5910-785-5888	INSULATION, RUBBER: FRONT PANEL (66935) 060-00355A900 MANUFACTURE FROM:  RUBBER, SHEET (5 1/4 X 8 3/4 IN. REQUIRED)	EA	1	1	SEE GRP 9501	SEE GRP 9501			2 32
5320-761-3134	NUT, SELF-LOCKING PLATE: FRONT PANEL TO CONTROL PANEL, LEFT SIDE PANEL TO MAINTENANCE PANEL, No. 10-32 THD (03680) SPST3605-02  RIVET, BLIND, FLUSH: FRONT PANEL TO CONTROL PANEL, .064 DIA X .328 LG (96906) MS: 605AD3M4	EA	10	10					2 10
5325-285-3373	PANEL, LEFT SIDE (66935) 360-00380D900  FASTENER, SPRING LATCH: FRAME TO MAINTENANCE PANEL (72794) F3-150  GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-004788900  GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-004808900	EA	1	1					2 8
		EA	4	4					2 11
		EA	1	1					2 18
		EA	1	1					2 13

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY PS MAINT ALL. DOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW PS EQUIP CATEGORY	(10) DEPOT MAINT ALW- PER EQUIP 100	(11) ILLUS- TRATION
						(a)	(b)	(c)	(d)	(e)	(f)			
X20 00076		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00486A900	EA	1		1-20	21	50	51	100	1-20	21	50	51-100
X20 00077		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00487A900	EA	1										2
X20 00078		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00479A900	EA	1										2
X20 00079		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00482A900	EA	1										2
X20 00080		GASKET, RUBBER: LEFT SIDE PANEL (66935) 060-00487A900	EA	1										2
X20 00081		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00483A900	EA	1										2
X20 00082		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00484A900 MANUFACTURE FROM:	EA	1										2
P.O. 00083	5640-914-6031	INSULATION, RUBBER (8 1/2 X 13 9/16 REQUIRED)	FT			SEE GRP 9501								2
M.O. 00084		INSULATION, RUBBER: LEFT SIDE PANEL (66935) 060-00485A900 MANUFACTURE FROM:	EA	1										2
P.O. 00085	5640-914-6031	INSULATION, RUBBER (10 3/16 X 16 7/8 IN. REQUIRED)	FT			SEE GRP 9501								2
O 00086	5320-117-6939	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 5/16 LG (96906) MS20426AD3-5	EA	8		*	*	*	*	*	*	*	*	2
O 00087	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL 3/32 DIA X 1/4 LG (96906) MS20426AD3-4	EA	6		*	*	*	*	*	*	*	*	2
O 00088	5320-584-0672	RIVET, COUNTERSUNK HEAD, SOLID: LEFT SIDE PANEL TO MAINTENANCE PANEL, 3/32 DIA X 3/8 LG (96906) MS20426AD3-6	EA	6		*	*	*	*	*	*	*	*	2

(1) SWP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY IN UNIT	30 DAY ALLOWANCE				(9) A-W DEP EQUIP NTGCT	(10) DEPOT MAINT ALW- FOR EQUIP	(11) ILLUS TRAIT
						(a) 1-20	(b) 21-50	(c) 51-100	(d) 101-100			
0 00089	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED: LEFT SIDE PANEL, No. 10-32 UNF X 3/4 LG (96906) MS1958-65	EA	3	3	*	*	*	*	*	*	2
X20 00090		STRIP, MOUNTING: 1/8 X 1/2 X 13 LG (66935) 060-00488A900	EA	1	1							2
X20 00091		PANEL, RIGHT SIDE (66935) 360-00381D900	EA	1	1							3
X20 00092		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00487A900	EA	1	1							3
X20 00093		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00482A900	EA	2	2							3
X20 00094		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00457A900	EA	1	1							3
X20 00095		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00456A900	EA	1	1							3
X20 00096		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00479A900	EA	1	1							3
X20 00097		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00481A900	EA	1	1							3
X20 00098		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00486A900	EA	1	1							3
X20 00099		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00480900	EA	1	1							3
X20 00100		GASKET, RUBBER: RIGHT SIDE PANEL (66935) 060-00455A900	EA	1	1							3
X20 00101		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00453A900	EA	1	1							3
M O 00102		INSULATION, RUBBER: RIGHT SIDE PANEL (66935) 060-00451A900 MANUFACTURE FROM:	EA	1	1							3

[illegible]

(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC UNIT	(6) QTY INC UNIT	(7) 30 DAY OS MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY OS MAINT ALLOWANCE (a) (b) (c)	(9) 1 YR SMP MAINT ALLOWANCE (a) (b) (c)	(10) DEPT MAINT ALLOWANCE (a) (b) (c)	(11) ILLUS- TRATION
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
M O 00116		INSULATION, RUBBER: TOP PANEL (66935) 060-00470900 MANUFACTURE FROM:	EA	1	1	1-20 21-50 51-100	1-20 21-50 51-100			1
P O 00117	5640-914-6031	INSULATION, RUBBER (11 X 38 3/4 IN. REQUIRED)	FT							
M O 00118		INSULATION, RUBBER: TOP PANEL (66935) 060-00473900 MANUFACTURE FROM:	EA	1	1					1
P O 00119	5640-914-6031	INSULATION, RUBBER (14 5/8 X 38 3/4 IN. REQUIRED)	FT							
X20 00120		NUT, SELF-LOCKING PLATE: LIFTING RING COVER TO TOP PANEL, NO. 10-32 UNF (03680) SP513605N62	EA	4	4					1
X20 00121		NUT, SELF-LOCKING PLATE: LIFTING RING COVER TO TOP PANEL, NO. 6-32 UNC (03680) SP513605N62	EA	4	4					1
0 00122	5320-117-6938	RIVET, COUNTERSUNK HEAD, SOLID: LIFTING RING COVER TO TOP PANEL, 3/32 DIA X 1/4 LG (96906) MS20426A05-4	EA	16	16	* * *	* * *	*	*	2
X20 00123		PANEL, MAINTENANCE (66935) 360-003290900	EA	1	1					2
X20 00124	5325-281-4968	FASTENER, GROMMET: MAINTENANCE PANEL (72794) GA3-200	EA	5	5					2
X20 00125	5325-171-6795	FASTENER, SELF-LOCKING: MAINTENANCE PANEL (72794) A3-35	EA	1	1					2
X20 00126		FASTENER, SELF-LOCKING: FILTER AND MAINTENANCE PANEL, HTG (72794) A3-50	EA	6	6					3
X20 00127		GASKET, RUBBER: MAINTENANCE PANEL (66935) 060-00326A900	EA	1	1					3

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 30 DAY MAINT ALLOWANCE	(8) 30-DAY GS MAINT ALLOWANCE	(9) 1-YR ALW EQUIP INTGCT	(10) DEPOT MAINT ALW EQUIP 100	(11) ILLUS- TRATION
		REFERENCE NO. & MFR. CODE	USABLE ON CODE			(1) 1	(2) 20	(3) 20	(4) 50	(5) 100
X20 00128		INSULATION, RUBBER; MAINTENANCE PANEL (66935) 660-00330-900	EA	1						3
X20 00129		SCREEN, FRESH AIR (66935) 360-00380-900	EA	2						10
0 00130	5305-054-6690	SCREW, MACHINE, PAN HEAD, RECESSED; LIFTING RING COVER TO TOP PANEL, NO. 6-32 UNC X 1/24 LG (96906) M551957-26	EA	4	*	*	*	*	*	1
0 00131	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED; LIFTING RING COVER TO PANEL, 1/2 NO. 10-32 UNF X 1/2 LG (96906) M551958-64	EA	4	*	*	*	*	*	1
0 00132	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED; FRAME TO TOP PANEL, NO. 10-32 UNF X 3/4 LG (96906) M551958-65	EA	31	*	*	*	*	*	1
0 00133	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED; EVAPORATOR FAN OUTLET GUARD TO FRONT PANEL, LEFT SIDE PANEL AND MAINTENANCE PANEL MOUNTING, NO. 10-32 THD X 3/4 IN. LG (96906) M551958-65	EA	39	*	*	*	*	*	2
0 00134	5305-059-3661	SCREW, MACHINE, PAN HEAD, RECESSED; FRAME TO RIGHT SIDE PANEL; CONDENSER GUARD AND FILTER DOOR MOUNTING, NO. 10-32 THD X 3/4 IN. LG (96906) M551958-65	EA	49	*	*	*	*	*	3
0 00135	5305-059-3671	SCREW, MACHINE, PAN HEAD, RECESSED; CONDENSER GUARD TO FRAME, BOTTOM 1/4-28 THD X 3/4 IN. LG (96906) M551958-81	EA	2	*	*	*	*	*	3
00136		GROUP 22 - MISCELLANEOUS BODY, CHASSIS OR HULL AND ACCESSORY ITEMS								
00137		2207 - WINTERIZATION EQUIPMENT								
P O 00138	4130-087-4566	HEATER, COMPRESSOR CRANKCASE (10855) HT3A223	EA	1	*	2	2	24	20	7
X20 00139		SPRING, HEATER, COMPRESSOR (10855) 6A20-1181	EA	1						7

(1) SAR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT P-ACA	(6) QTY INC IN UNIT	(7) 30 DAY PS-MAINT ALLOWANCE	(8) 30 DAY GS MAINT ALLOWANCE	(9) 1-YR ALW 100 PS-MAINT EQUIP 100 PS-MAINT EQUIP	(10) DEPOT MAINT 100 PS-MAINT EQUIP	(11) ILLUS- TRATION
		REFERENCE NO. & MFR CODE	USABLE ON CODE							
		2210 - DATA PLATES								
00140		DECAL, FRAME, CABINET (66935) 035-00077B900	EA	1						1
20 00141		DECAL, FRONT PANEL (66935) 035-00079B900	EA	2						2
20 00142		DECAL, FRONT AND MAINTENANCE PANEL (66935) 035-00080B900	EA	1						2
20 00143		DECAL, FRONT PANEL (66935) 035-00082B900	EA	1						2
20 00144		DECAL, LEFT SIDE PANEL (66935) 035-00078B900	EA	1						2
20 00145		DECAL, PANEL (66935) 035-00081B900	EA	2						1
20 00146		DECAL, PANEL (66935) 035-00083B900	EA	1						7
20 00147		DECAL, FILTER PANEL (66935) 035-00076B900	EA	1						2
20 00148		DECAL, CONTROL BOX (66935) 035-00084B900	EA	1						24
20 00149		NAME PLATE, IDENTIFICATION: FRONT PANEL (66935) 029-11808C900	EA	1						36
20 00150		PLATE, INFORMATION: MAINTENANCE PANEL (66935) 029-11807D900	EA	1						3
20 00151		RIVET, UNIVERSAL HEAD: FRONT PANEL TO NAME PLATE, 1/8 DIA X 1/4 LG (96906) NS20H70AD4-4	EA	4						2
F 00152	5320-117-6826	RIVET, BLIND, TRUSS, DRIVE PIN: MAINTENANCE PANEL TO INFORMATION PLATE, 1/8 DIA (96906) NS20G06AD4H2	EA	6						38



SNR CODE INDEX NO.	FEDERAL STOCK NUMBER	DESCRIPTION	REFERENCE NO. & MFR. CODE	QTY INC IN UNIT -CALC	QTY INC IN UNIT	DS MAIN ALLOWANCE				GS MAINT ALLOWANCE				1-YR ALW PER EQUIP (CATY)	DEFECT MAINT ALW PER EQUIP	ILLUS-TRATION
						(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)			
			USABLE ON CODE			1	20	21	30	41	100	1	20	21	40	51-100
010154		GROUP 40 - GENERATOR AND ROTATING EXCITER ASSEMBLIES														
010155		4000 - MOTOR ASSEMBLY														
F 0156	3110-087-4540	BEARING, BALL: CONDENSER MOTOR (03510) 732A500A4		EA	2	*	4	*	4	*	4	*	4	*	42	35
F 0157	3110-087-4539	BEARING, BALL: EVAPORATOR MOTOR (03510) 113A617AAP1		EA	2	*	4	*	4	*	4	*	4	*	42	35
0158		BOX, CONDUIT: CONDENSER MOTOR (03510) L5348278BK1		EA	1											
0159		COVER, TERMINAL BOX: EVAPORATOR MOTOR (03510) 114A809AF2		EA	1											
0160	6105-983-5843	MOTOR, BLOWER, EVAPORATOR: 1/3 HP (66935) 060-00621C900 (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON THE REQUISITION TO INSURE SUPPLY OF THE PROPER REPAIR PARTS OR MOTOR)		EA	1	*	2	*	2	*	2	*	2	*	14	10
0161	6105-891-7623	MOTOR, BLOWER CONDENSER: 1 1/2 HP (88922) 5K182HGH500T (ELECTRIC MOTORS AND REPAIR PARTS ARE TO BE REQUISITIONED BY COMPLETE IDENTIFYING NOMENCLATURE. COMPLETE MOTOR AND FRAME NAMEPLATE DATA MUST BE SHOWN ON REQUISITION TO INSURE SUPPLY OF PROPER REPAIR PARTS OR MOTOR)		EA	1	*	2	*	2	*	2	*	2	*	14	10
0162	5306-638-7719	SCREW, CAP, HEXAGON HEAD: EVAPORATOR MOTOR MTG 5/16-24 UNF X 7/8 LG (96906) MS35308-333		EA	4	*	*	*	*	*	*	*	*	*	*	9
0163	5305-708-8385	SCREW, CAP, HEXAGON HEAD: CONDENSER MOTOR MTG 3/8-24 THD X 1 3/8 IN. LG (96906) MS35308-363		EA	4	*	*	*	*	*	*	*	*	*	*	8
0164		SHIELD, END: EVAPORATOR MOTOR (03510) 114D813ABP4		EA	1											
0165		SHIELD, END: EVAPORATOR MOTOR (03510) 114D807AAP3		EA	1											





(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT PACK	(7) QTY INC IN UNIT	(8) 30 DAY DS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR MAINT PER 100 EQUIP UNITS	(10) DEPOT MAINT PER 100 EQUIP UNITS	(11) ILLUS- TRATION (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z)
00192		4009 - CONTROL PANELS, HOUSING, CUBICLES	USABLE ON CODE							
X20 00193		CONTROL BOX, PANEL ASSEMBLY (66935) 360-003460900	EA	1						
X20 00194		ADAPTER, ELECTRIC CONNECTION (66935) 023-091058900	EA	1						
X20 00195		BOX, CONTROL PANEL (66935) 360-004380900	EA	1						
X20 00196		CHAIN, BEAD: WITH PLUG (66935) 360-003758900	EA	1						
X20 00197		FASTENER: READ CHAIN FOR 1/8 CHAIN	EA	2						
X20 00198		CHAIN, BEAD: 3 IN. LG (66935) 060-00377-900	EA	1						
X20 00199		PLUG, DOT: 1 IN. DO (66935) 060-00820A900	EA	1						
0 00200	5320-117-6826	RIVET, UNIVERSAL HEAD SOLID: CHAIN TO CONTROL BOX WALL, AND PLUG 1/8 DIA X 1/4 LG (96906) MS20470AD4-4	EA	2						
X20 00201		COVER, CONTROL BOX PANEL (66935) 360-00395C900	EA	1						
X20 00202		GASKET, RUBBER: COVER (66935) 060-004318900	EA	1						
M O 00203		INSULATION, RUBBER (66935) 360-004328900 MANUFACTURE FROM:	EA	1						
P O 00204	5610-785-7888	INSULATION, RUBBER (6 3/4 X 5 1/2 IN. REQUIRED)	SH							
X20 00205		GASKET, RUBBER: CONTROL PANEL (66935) 060-006118900	EA	1						
M O 00206		INSULATION, RUBBER (66935) 060-006138900 MANUFACTURE FROM:	EA	2						

SEE GRP 9901



22

(1) SMR INDEX NO.	(2) FEDERAL SUPPLY NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF MEASURE	(6) QTY INC IN UNIT BACK	(7) QTY INC IN UNIT	(8) 30-DAY PSMAINT ADVANCE ALLOWANCE				(9) 1-48 MA DEM AL ED 100 EN TEG ED
							(8) 1-20	(8) 21-50	(8) 51-100	(8) 101-100	
X20 00220		TWINE LACING: ELECTRIC HARNESS (66935) 025-14416-900		FT	6						
M O 00221		INSULATION TUBING: 5/16 DIA NON RIGID (66935) 060-00495-900 MANUFACTURE FROM:		EA	1						
P O 00222	5970-899-7760	INSULATION TUBING: 5/16 IN. DIA, NON RIGID (18 IN. REQUIRED)		FT			SEE GRP 501				
P O 00223	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900		FT	6						
O 00224	5310-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: CONTROL BOX MOUNTING TO FRAME. No. 10-32 UNF X 3/4 LG (96906) MS51958-65		EA	8		*	*	*	*	*
O 00225	5305-054-5651	SCREW, MACHINE. PAN HEAD, RECESSED: HARNESS TO COVER, No. 4-4 oz X 1/2 LG (96906) MS51957-17		EA	4		*	*	*	*	*
00226		4011 - CIRCUIT BREAKERS, CUTOUPS, FUSE AND FUSE HOLDERS									
P O 00227	5925-068-3940	CIRCUIT, BREAKER (66935) 060-004978900		EA	1		*	2	2	*	21
X20 00228		SCREW: SHIELD MOUNTING CIRCUIT BREAKER (97539) HE1050ASSY		EA	6						
X20 00229	5985-979-5856	SHIELD, CIRCUIT BREAKER (97539) 025HE1050ASSY		EA	1						
00230		4012 - SWITCHES									
X20 00231	5355-855-6235	KN08, POINTER, ROTARY SWITCH (96906) MS25165-1		EA	1						

(2)	(3)	(4)	(5)	(6)	(7)	(8)			(9)	(10)	(11)		
FEDERAL STOCK NUMBER	DESCRIPTION	REFERENCE NO. & MFR. CODE	UNIT OF MEASURE	QTY INC IN UNIT	QTY INC IN UNIT	30 DAY MAINT ALLOWANCE			1-YR ALW PER EQUIP CATEGORY	DEPOT MAINT ALW PER EQUIP CATEGORY	ILLUS-TRATION		
						(a)	(b)	(c)			(a)	(b)	(c)
						1-20	21-50	51-100			FIG NO	ITEM NO	
5395-579-2896	NUT, ROTARY SWITCH (96906) MS25165-1	REFERENCE NO. & MFR. CODE	EA	1	1	*	*	*	*	*	4	58	
5945-052-9018	RELAY ASSEMBLY: TIME DELAY (82768) DT1A220VA	REFERENCE NO. & MFR. CODE	EA	1	1	*	2	2	21	19	4	64	
5305-034-6657	SCREW, MACHINE, PAN HEAD, RECESSED: RELAY TO JUNCTION BOX, No. 6-32 UNC X 7/8 LG (96906) MS5197-33	REFERENCE NO. & MFR. CODE	EA	2	2	*	*	*	*	*	4	65	
5310-889-2544	NUT, SELF-LOCKING HEXAGON: RELAY TO JUNCTION BOX, No. 6-32 UNC (96906) MS21045-06	REFERENCE NO. & MFR. CODE	EA	2	2	*	*	*	*	*	4	12	
5930-669-9958	SWITCH, ROTARY, 3 POSITION (76055) 173GMODIFIED	REFERENCE NO. & MFR. CODE	EA		*	2	2	2	14	10	4	46	
4130-087-4565	THERMOSTAT, CRANKCASE (10895) 764C231-1122	REFERENCE NO. & MFR. CODE	EA	1	1	*	2	2	24	20	7	33	
	4018 - TERMINAL BLOCKS, JUNCTION BOXES												
	BOARD, TERMINAL: JUNCTION BOX ASSEMBLY (75382) M03-603	REFERENCE NO. & MFR. CODE	EA	1	1						4	63	
	BOX, JUNCTION ASSEMBLY (66935) 360-00347D900	REFERENCE NO. & MFR. CODE	EA										
	BOX, JUNCTION (66935) 360-00301D900	REFERENCE NO. & MFR. CODE	EA	1	1						4	4	
5340-751-6508	CLAMP, CABLE LOCKING (59587) TL28	REFERENCE NO. & MFR. CODE	EA	2	2						4	9	
5330-914-7651	GASKET, RUBBER: CONNECTOR MTG (96906) MS51007-12	REFERENCE NO. & MFR. CODE	EA	1	1						4	7	
5330-836-4355	GASKET, RUBBER: CONNECTOR MTG (96906) MS51007-7	REFERENCE NO. & MFR. CODE	EA	1	1						4	15	
	HARNES WIRING: DISTRIBUTOR JUNCTION BOX (66935) 360-003430900	REFERENCE NO. & MFR. CODE	EA										
5935-991-7233	CONNECTOR, SOCKET RECEPTACLE: BOX MOUNTING	REFERENCE NO. & MFR. CODE	EA	1	1						4	8	

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) UNIT OF MEASURE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY MAINT. ALLOWANCE			(8) 30-DAY CS MAINT. ALLOWANCE	(9) 1-YR ALW PER EQUIP CENTG	(10) DEPOT MAINT ALW- PER EQUIP	(11) ILLUS- TRATION NO.
						(a) 1-20	(b) 21-40	(c) 41-100				
X20 00247	5940-204-9142	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-12	EA		15	1	20	21-40	41-100			
X20 00248	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		30							
X20 <sup>1</sup> 00249	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		6							
X20 00250		TWINE, LACING: ELECTRIC, HARNESS (66935) 025-14416-900	FT		15							
P O 00251	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900	FT		6							
P O 00252	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		19							
M O 00253		WIRE, ELECTRICAL: JUMPER (66935) 360-00274D923 MANUFACTURE FROM:	EA		1							
P O 00254	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		25							
X20 00255	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		1							
X20 00256	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		1							
M O 00257		WIRE, ELECTRICAL: JUMPER (66935) 360-0027D924 MANUFACTURE FROM:	EA		1							
P O 00258	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900	FT		25							
X20 00259	5940-644-8713	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8	EA		2							
X20 00260	5940-534-0970	TERMINAL, LUG: CRIMP FOR No. 6 STUD (96906) MS25036-7	EA		1							



(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	REFERENCE NO. & MFR. CODE	UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT UNIT	(7) 30 DAY DS MAINT ALLOWANCE			(8) 30-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW EQUIP 100 PER CENT	(10) DEPOT MAINT EQUIP 100 PER EQUIP	(11) ILLUS- TRATION
						(a) (10) 1-20	(b) (21-50)	(c) (51-100)	(a) (10) 1-20	(b) (21-50)	(c) (51-100)			
		USABLE ON CODE				1-20	21-50	51-100	1-20	21-50	51-100			
	WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-0027AD973 MANUFACTURE FROM:		EA	1										
6145-578-7515	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900 TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8		FT	67										
5940-644-8713	WIRE, ELECTRICAL: DELAY SWITCH (66935) 360-0027AD974 MANUFACTURE FROM:		EA	1										
6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (66935) 025-14404-900 TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-8		FT	92										
5940-644-8713	BOX, POWER, INPUT (66935) 360-00373C900		EA	1										4 50
5320-761-3134	RIVET, BLIND, FLUSH: .094 DIA X .328 LG (96906) MS20605AD344 NUT, SELF-LOCKING PLATE: POWER BOX TO FRAME, PANEL TO POWER BOX, No. 10-32 UNF (03680) SPS13605-02		EA	10	*	*	*	*	*	*	*	*	*	4 51
5935-577-0589	CAP, DUST: ELECTRICAL RECEPTACLE (96906) MS25043-22C		EA	5										4 40
5935-577-0589	CONNECTOR, CONDUIT BOX: COMPRESSOR (96906) MS3102R2411P		EA	1										4 52
5935-577-0589	COVER, CONDUIT BOX: COMPRESSOR (10855) 76HC381-134		EA	1										7 32
5340-929-3506	CLAMP, TUBE: INSULATION TUBING (96906) MS21322-40		EA	7										7 17
5325-174-9008	GROMMET, RUBBER: PROTECTS WARENESS THROUGH EVAPORATOR SECTION DECK, 1/2 ID X 1/2 OD 1/4 THK (96906) MS35489-15		EA	1										4 42

(1) SHIP INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEASURE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 30 DAY DS MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY GS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR ALW EQUIP 100 PARTS EQUIP	(10) DEPOSIT MAINT ALW EQUIP 100 EQUIP	(11) ILLUS- TRATION
		REFERENCE NO. & MFR CODE	USABLE ON CODE							
N.O. 00275		HARNES, WIRING POWER DISTRIBUTOR (66935) 360-00275E900 MANUFACTURE FROM:	EA	1		1 20 21 50 51-100	1-20 21 50 51-100			
X20 00276		CONNECTOR, PIN: JUNCTION BOX (96906) MS25183-32-6P	EA	1						4
X20 00277		CONNECTOR, SOCKET: COMPRESSOR (96906) MS25183-24-11S	EA	1						
X20 00278		CONNECTOR, SOCKET: CONTROL PANEL (96906) MS25183-18-4S	EA	1						4
X20 00279	5935-581-4193	CONNECTOR, SOCKET: EVAPORATOR AND CONDENSER FAN MOTOR (96906) MS25183-16S	EA	2						
X20 00280	5935-559-1782	CONNECTOR, SOCKET: SOLENOID VALVE (96906) MS25183-12S3S	EA	1						
X20 00281		CONNECTOR, SOCKET: DUAL PRESSURE SWITCH (96906) MS25183-12S3SX	EA	1						
X20 00282		TWINE, LACING: ELECTRICAL HARNES (AS REQUIRED) (66935) 025-14416-900	FT							
X20 00283		INSULATION, TUBING: JUNCTION BOX PIN CONNECTOR TO BRANCH, 7/8 DIA (66935) 060-00496-900	EA	1						
P.O. 00284	6145-578-7517	WIRE, ELECTRICAL: AN-16 600V TYPE I (9 FT REQUIRED) (66935) 025-14404-900	FT							
P.O. 00285	6145-578-7513	WIRE, ELECTRICAL: AN-10 600V TYPE I (66935) 025-14402-900 (19 FT REQUIRED)	FT							
M.O. 00286		HARNES, WIRING: POWER INPUT BOX (66935) 360-00325D900 MANUFACTURE FROM:	EA	1						
X20 00287		CONNECTOR, PIN: BOX MOUNTING (96906) MS3103-22-22P	EA	1						4

(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT PACK	(7) 30 DAY MAINT ALLOWANCE			(8) 30 DAY MAINT ALLOWANCE			(9) 1-YR ALW. FOR EQUIP CONTNGY	(10) DEPOT MAINT ALW. FOR EQUIP	(11) ILLUS- TRATION ITEM NO	
						(a) 1-20	(b) 21-50	(c) 51-100	(d) 1-20	(e) 21-50	(f) 51-100				
USABLE ON CODE															
X20 00288		CONNECTOR, SOCKET (96906) MS25183-22-22S		EA	1										4
X20 00289		STRAP, CABLE (59730) TANDETYS		EA	4										4
P 0 00290	6145-284-0657	WIRE, ELECTRICAL: AN-8 600V TYPE 11 (66935) 025-14401-900		FT											4
M 0 00291		HARNESS, WIRING: POWER INPUT JUNCTION BOX (66935) 360-00336C900 MANUFACTURE FROM:		EA	1										
X20 00292	5935-804-5816	CONNECTOR, PIN, RECEPTACLE: BOX MOUNTING (96906) MS3102R22-22P		EA	1										4
P 0 00293	6145-284-0657	WIRE, ELECTRICAL: AN-8 600V TYPE 11 (18 IN. REQUIRED) (66935) 025-14401-900		FT											
X20 00294	5940-557-1631	TERMINAL, LUG: CRIMP FOR No. 10 STUD (96906) MS25036-15		EA	4										
0 00295	5310-889-2549	NUT, SELF-LOCKING HEXAGON: WIRING HARNESS AND TERMINAL BOARD TO JUNCTION BOX, No. 8-32 UNC (96906) MS21045-08		EA	6	*	*	*	*	*	*	*	*	*	4
F 00296	5310-061-7326	NUT, SELF-LOCKING HEXAGON: JUNCTION BOX PLATE TO FRAME AND HOUSING, No. 10-32 UNF (96906) MS21045-3		EA	4	*	*	*	*	*	*	*	*	*	8
0 00297	5310-982-5000	NUT, SELF-LOCKING HEXAGON: HARNESS TO POWER BOX, No. 4-40 UNC (96906) MS21045C04		EA	4	*	*	*	*	*	*	*	*	*	4
0 00298	5310-982-5000	NUT, SELF-LOCKING HEXAGON: GROUND No. 4-40 THD (96906) MS21045C04		EA	2	*	*	*	*	*	*	*	*	*	3
0 00299	5310-042-6903	NUT, HEXAGON: CLAMP TO CONTROL BOX, No. 10-32 UNF (96906) MS35050-102		EA	2	*	*	*	*	*	*	*	*	*	4
X2F 00300		PLATE, MOUNTING JUNCTION BOX (66935) 360-00372D900		EA	1										17

(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR CODE	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR MAINT ALLOWANCE PER CENT EQUIP 100	(10) DEPOT MAINT ALLOWANCE PER CENT EQUIP 100	(11) ILLUS NO
X2F 00301		NUT, SELF-LOCKING PLATE: PLATE TO JUNCTION BOX, No. 10-32 UNF (03680) SP513609-02	EA		2	1-20 21-50 51-100	1-20 21-50 51-100			8
F 00302	5320-244-369	RIVET, COUNTERSUNK HEAD, SOLID: PLATE TO JUNCTION BOX, 3/32 DIA X 1 1/4 LG (96906) MS20427-3C4	EA	4	*	*	*	*	*	8
0 00303	5305-054-6672	SCREW, MACHINE, PAN HEAD, RECESSED: TERMINAL BOARD AND WIRING MARKERS TO JUNCTION BOX, No. 8-32 UNC X 3/4 LG (96906) MS51957-47	EA	6	*	*	*	*	*	4
0 00304	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: PLATE TO JUNCTION BOX, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA	2	*	*	*	*	*	8
0 00305	5305-054-5651	SCREW, MACHINE, PAN HEAD, RECESSED: GROUND No. 4-40 UNC X 1/2 LG (96906) MS51957-17	EA	1	*	*	*	*	*	3
0 00306	5305-071-1322	SCREW, MACHINE, FLAT HEAD, RECESSED: POWER BOX MOUNTING TO FRAME, No. 10-32 UNF X 1/2 LG (96906) MS51960-65	EA	2	*	*	*	*	*	4
F 00307	5320-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: JUNCTION BOX PLATE TO FRAME AND HOUSING, No. 10-32 UNF X 5/8 LG (96906) MS51958-64	EA	4	*	*	*	*	*	8
0 00308	5305-054-6670	SCREW, MACHINE, PAN HEAD: CONTROL BOX MTO PLATE TO HOUSING, No. 8-32 THD SIZE, 1/2 IN. LG (96906) MS51957-45	EA	2	*	*	*	*	*	8
0 00309	5305-059-3662	SCREW, MACHINE, PAN HEAD, RECESSED: CLAMP TO CONTROL BOX, No. 10-32 UNF X 7/8 LG (96906) MS51958-66	EA	1	*	*	*	*	*	4
0 00310	5310-809-8546	WASHER, FLAT: CLAMP TO CONTROL BOX, .218 ID X .437 OD X .049 (96906) MS27183-8	EA	2	*	*	*	*	*	4
0 00311	5310-082-1404	WASHER, FLAT: GROUND, .156 ID X .375 OD X .049 (96906) MS27183-6	EA	2	*	*	*	*	*	3

(1) FEDERAL STOCK INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) USABLE ON CODE	(6) QTY INC UNIT	(7) 30 DAY DS MAINT ALLOWANCE (a) (b) (c)	(8) 30 DAY GS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR ALW PER EQUIP CATEG	(10) DEPOT MAINT PER EQUIP	(11) ILLUS- TRATION FIG NO
0 00312	5310-889-2708	WASHER, LOCK: 1ET, GROUND, No. 6 SCREW (96906) MS15904-54		EA	1	* * *	* * *	*	*	3
0 00313	5310-058-2951	WASHER, LOCK, SPRING SPLIT: CLAMP TO CONTROL BOX, 1 3/4" ID X 1 1/2" OD (96906) MS35337-81		EA	1	* * *	* * *	*	*	4
00314		GROUP 52 - REFRIGERATION AND AIR CONDITIONING COMPONENTS								
00315		5200 - GAS COMPRESSOR ASSEMBLY								
P F 00316	4130-981-0518	COMPRESSOR, ASSEMBLY, GAS: WITH CONDUIT BOX (10855) 6A38M109		EA	1	* 2 2	* 2 2	14	10	7
F 00317	5310-823-8835	NUT, SELF-LOCKING: COMPRESSOR MOUNTING TO TRAY, HEXAGON 5/16-24 UNF (96906) MS21045C5		EA	4	* * *	* * *	*	*	7
F 00318	5305-880-3358	SCREW, MACHINE FLAT HEAD, RECESSED: COMPRESSOR MTG TO TRAY 5/16 THD X 1 IN. LG (96906) MS51960-101		EA	4	* * *	* * *	*	*	7
X2F 00319		WASHER, SHOULDER: COMPRESSOR MOUNTING TO TRAY, 1 IN. OD X 1 1/2 ID X 1 1/4 (66935) 060-004096900		EA	4					7
00320		5217 - REFRIGERANT PIPING								
X2F 00321		ADAPTER, FLARE: 1/4 MALE FLARE X 1/4 FEMALE SOLDER JOINT (96906) MS35919-2-2		EA	2					6
X2F 00322		CLAMP: CUSHIONED FOR 1/4 OD TUBE (96906) MS21322-34		EA	1					6
X2F 00323	5310-898-2083	CLAMP, LOOP: TUBE TO FRAME MOUNTING (96906) MS21322-36		EA	1					6
X2F 00324	5310-929-3506	CLAMP, LOOP: TUBE MTG (96906) MS21322-40		EA	8					6

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY GS MAINT ALLOWANCE	(8) 30-DAY GS MAINT ALLOWANCE	(9) 1-YR ALW PER EQUIP (PARTS)	(10) DEPOT MAINT ALW- PER EQUIP (100%)	(11) ILLUS- TRATION
						(a) 1-20	(b) 21-40	(c) 41-60	(d) 61-100	
		REFERENCE NO. & MFR. CODE	USABLE ON CODE							
2F 0325	5340-995-0566	CLAMP, TUBE: SUCTION REGULATING VALVE TO FRAME (96906) MS21322-42	EA	2						6
2F 0326	4730-254-6450	ELBOW, SOLDER JOINT: DISCHARGE LINE (96906) MS35917-5	EA	3						5
2F 0327	4730-254-6447	ELBOW, SOLDER JOINT: SUCTION LINE (96906) MS35917-7	EA	5						5
2F 0328	4730-022-1334	ELBOW, SOLDER JOINT, STREET: SOLENOID VALVE TO EXPANSION VALVE (96906) MS35928-4	EA	1						5
2F 0329		ELBOW, SOLDER JOINT, STREET: BY-PASS LINE (96906) MS35928-5U	EA	1						5
2F 0330	4730-027-0773	ELBOW, SOLDER JOINT, STREET: SUCTION LINE (96906) MS35928-7	EA	1						5
2F 0331		ELBOW, SOLDER JOINT, STREET: BY-PASS LINE 5/8 MALE X 5/8 FEMALE X 90 DEGREES (96906) MS35928-5	EA	2						5
2F 0332	5325-270-8890	GROMMET, NEOPRENE: TUBE THROUGH FRAME (96906) MS35489-22	EA	1						5
2F 0333	5325-276-6100	GROMMET, RUBBER: TUBE THROUGH FRAME (96906) MS35489-14	EA	1						5
2F 0334		INSULATION, RUBBER: EVAPORATOR AND COMPRESSOR SUCTION 1/4 X 5 X 5 (66935) 060-00615-900	EA	2						5
F 0335		NIPPLE: 5/8 OD X .040 WALL X 3 IN. LG MANUFACTURE FROM:	EA	2						5
F 0336	4710-277-5530	TUBE, COPPER (3 IN. REQUIRED)	FT			SEE GRP 9901				
F 0337		NIPPLE: 7/8 IN. OD X .045 WALL X 1 IN. LG MANUFACTURE FROM:	EA	2						5
F 0338	4710-277-5532	TUBE, COPPER (1 IN. REQUIRED)	FT			SEE GRP 9901				

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF ISSUE	(6) QTY INC IN UNIT	(7) 30 DAY DS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(8) 30-DAY GS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(9) 1-YR ALW EQUIP ENTGCT	(10) DEPOT MAINT PER EQUIP	(11) ILLUS- TRATION (a) FIG NO (b) ITEM NO
F 00339	5310-061-7326	NUT, SELF-LOCKING HEXAGON; CLAMP TO FRAME, No. 10-32 THD (96906) MS21045-3	USABLE ON CODE	EA	10	*	*	*	*	6
F 00340	5310-889-2549	NUT, SELF-LOCKING HEXAGON; STRAP MOUNTING VALVE TO FRAME, No. 8-32 UNC (96906) MS21045-08		EA	2	*	*	*	*	5
F 00341	5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED; SUCTION REGULATING VALVE AND CLAMP MTG. No. 10-32 THD X 5/8 IN. LG (96906) MS51958-64		EA	10	*	*	*	*	5
F 00342	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED; SOLENOID VALVE AND CLAMP MTG. No. 10-32 THD X 1/2 IN. LG (96906) MS51958-63		EA	4	*	*	*	*	5
F 00343	5305-054-6670	SCREW, MACHINE, PAN HEAD, RECESSED; STRAP MOUNTING VALVE TO FRAME, No. 8-32 UNC X 1/2 LG (96906) MS51957-45		EA	2	*	*	*	*	5
F 00344	5305-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED; STOP VALVE TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51958-65		EA	4	*	*	*	*	6
P F 00345	6680-778-3914	SIGHT GLASS; LIQUID, 1/2 ID FEMALE CONNECTORS (78462) SA14S		EA	1	*	2	2	14	6
X2F 00346		STRAP, TUBE; EXPANSION VALVE MTG (93736) 9263S		EA	1					5
X2F 00347	4730-263-6482	TEE, SOLDER JOINT; SUCTION LINE (41947) W4033		EA	1					5
X2F 00348		TEE, SOLDER JOINT; VALVE TO CONDENSER SUCTION LINE 5/8 FEMALE X 5/8 FEMALE X 5/8 FEMALE (96906) MS35929-5		EA	2					6
X2F 00349		TEE, SOLDER JOINT; SIGHT GLASS TO SOLENOID VALVE LINE 1/2 FEMALE X 1/2 FEMALE X 1/2 FEMALE (96906) MS35929-4		EA	1					6

(1) SMA CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30-DAY GS MAINT ALLOWANCE (a) (b) (c)	(8) 30-DAY GS MAINT ALLOWANCE (a) (b) (c)	(9) 1-YR MAINT ALLOWANCE EQUIP PER 100 SAYLOC	(10) DEPOT MAINT ALLOWANCE EQUIP PER 100	(11) ILLUS- TRATION
M F 00350		REFERENCE NO. & MFR. CODE TUBE; REGULATING VALVE TO TEE MANUFACTURE FROM:	EA		1	1-20 (1) 50 (5) 1-100	1-20 (1) 50 (5) 1-100			6
P F 00351	4710-059-5900	TUBE, COPPER (9 IN. REQUIRED)	FT			SEE GRP 9501				3
M F 00352		TUBE; HYDRATOR TEE TO SOLENOID VALVE (66935) 060-00360900 MANUFACTURE FROM:	EA	1						6
P F 00353	4710-059-5900	TUBE, COPPER (4 FT, 6 IN. REQUIRED)	FT			SEE GRP 9501				6
M F 00354		TUBE; CONDENSER TO RECEIVER (66935) 060-003070900 MANUFACTURE FROM:	EA	1						6
P F 00355	4710-277-7513	TUBE, COPPER (22 IN. REQUIRED)	FT		1	SEE GRP 9501				6
M F 00356		TUBE; TEE TO BY-PASS LINE (66935) 060-002736900 MANUFACTURE FROM:	EA	1						6
P F 00357	4710-277-5530	TUBE, COPPER (30 IN. REQUIRED)	FT			SEE GRP 9501				6
M F 00358		TUBE; EXPANSION VALVE TO TEE (66935) 060-002910900 MANUFACTURE FROM:	EA	1						6
P F 00359	4710-277-5530	TUBE, COPPER (10 IN. REQUIRED)	FT			SEE GRP 9501				6
M F 00360		TUBE; SIGHT GLASS TO TEE (66935) 060-002950900 MANUFACTURE FROM:	EA	1						6
P F 00361	4710-059-5900	TUBE, COPPER (16 IN. REQUIRED)	FT			SEE GRP 9501				6





(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) USABLE ON CODE	(6) QTY INC IN UNIT PACK	(7) QTY INC IN UNIT	(8) 30 DAY DS MAINT ALLOWANCE	(9) 30 DAY DS MAINT ALLOWANCE	(10) 30 DAY DS MAINT ALLOWANCE	(11) 1 YR ALW PER CENT	(12) DEPOT MAINT ALW PER CENT	(13) ILLUS- TRATION
M F 00376		TUBE: SERVICE VALVE TO CONDENSER TUBE (66935) 060-00289B900 MANUFACTURE FROM:		EA	1							6
P F 00377	4710-203-3171	TUBE, COPPER (6 IN. REQUIRED)		FT			SEE GRP 9501					
M F 00378		TUBE: SERVICE VALVE TO SUCTION TUBE (66935) 060-00287B900 MANUFACTURE FROM:		EA	1							5
P F 00379	4710-203-3171	TUBE, COPPER (18 IN. REQUIRED)		FT			SEE GRP 9501					5
M F 00380		TUBE, EQUALIZING EXPANSION VALVE: EXPANSION VALVE TO SUCTION LINE (66935) 360-00297B900 MANUFACTURE FROM:		EA	1							5
X2F 00381	4730-189-2737	NUT, FLARE, REFRIGERANT: 1/4 OD TUBE (96906) MS35872-2		EA	1							5
M F 00382	4710-203-3171	TUBE: 1/4 OD X .030 WALL X 6/29-32 (66935) 060-00286-900 (9 IN. REQUIRED)		EA	1							5
M F 00383		TUBE: DISCHARGE LINE TO CONDENSER COIL (66935) 007-05688-900 MANUFACTURE FROM:		FT	1		SEE GRP 9501					5
P F 00384	4710-277-5530	TUBE, COPPER (3 FT, 4 IN. REQUIRED)		FT								5
M F 00385		TUBE: SUCTION LINE (66935) 007-05689-900 MANUFACTURE FROM:		FT	1							5
P F 00386	4710-277-5532	TUBE, COPPER (19 IN. REQUIRED)		FT			SEE GRP 9501					5
X2F 00387		LAMP: SENSING BULB TO REFRIGERANT PIPE (83084) 2525		EA	4							5
P F 00388	4730-789-0417	VALVE, STOP (41947) A15791		EA	2	*	2	*	2	14	10	6



(1) SMP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NO. & MFR. CODE	(4) QTY INC IN UNIT PACK	(5) QTY INC IN UNIT	(6) 30 DAY OS MAINT ALLOWANCE			(7) 30 DAY OS MAINT ALLOWANCE	(8) 30 DAY OS MAINT ALLOWANCE	(9) 1-YR REPAIR PER 100 EQUIP COST CATEGORIES
					(a)	(b)	(c)			
00403		5224 - REFRIGERANT ACCUMULATOR			1	20	25	50	51	100
X2F 00404		RECEIVER, LIQUID UPRIGHT (87351) UR3	EA							
P F 00405	4820-997-6008	VALVE, RELIEF (58553) 3001X4-490	EA	1	2	2	2	2	2	24
X2F 00406	4730-274-5828	CLAMP, HOSE; RECEIVER (08484) 052004645	EA	1						
F 00407	5310-543-5655	NUT, HEXAGON, UNF; UPRIGHT RECEIVER TO FRAME, 3/8-16 UNC (96906) MS35691-610	EA	1	*	*	*	*	*	*
F 00408	5310-773-7618	WASHER, FLAT; RECEIVER TO FRAME, .406 10 X .812 OD X .065 (96906) MS15795-814	EA	1	*	*	*	*	*	*
F 00409	5310-596-8771	WASHER, LOCK; RECEIVER TO FRAME, .382-.398 10 (96906) MS35337-84	EA	1	*	*	*	*	*	*
00410		5230 - CONDENSER								
X2F 00411		BRACKET, CONDENSER COIL; RH (66935) 360-003660900	EA	1						
X2F 00412		BRACKET, CONDENSER COIL; LH (66935) 360-003670900	EA	1						
X2F 00413	5310-061-7326	BRACKET, CONDENSER COIL, LOWER (66935) 360-003618900	EA	1						
X2F 00414		BRACKET, CONDENSER COIL, UPPER (66935) 360-003718900	EA	1						
P F 00415	4130-087-4567	COIL, CONDENSER WITH HEADERS (66935) 360-003690900	EA	1	*	*	*	*	*	*
X2F 00416		NUT, RETAINER; No. 10-32 UNF (78953) C7941-1032-24	EA	10						

(1) SWP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF MEASURE	(6) QTY IN PACK	(7) QTY INC UNIT	30 DAY MAINT ALLIANCE			(9) 100 PIR EQUIP 100	(10) DEPOT EQUIP 100	(11) ILLUS- TRATION NO
							(a)	(b)	(c)			
			USABLE ON CODE				1	2	3	4	5	6
X2F 00417		NUT, SELF-LOCKING PLATE: PANEL TO LH CONDENSER COIL BRACKET, No. 32 UNF (03680) SP513609-02		EA	2							7
F 00418	5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET TO FRAME, No. 10-32 UNF (96906) MS21045-3		EA	8		*	*	*	*	*	7
F 00419	5320-584-0672	RIVET, COUNTERSUNK HEAD SOLID: SELF-LOCKING PLATE TO LH BRACKET 3/32 DIA X 3/8 LG (96906) NS20426AD3-6		EA	4		*	*	*	*	*	7
F 00420	5305-071-1324	SCREW, MACHINE, FLAT HEAD, RECESSED: BRACKET TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51960-67		EA	8		*	*	*	*	*	7
F 00421	5305-059-3677	SCREW, MACHINE, PAN HEAD, RECESSED: BRACKET TO FRAME, No. 10-32 UNF X 3/4 LG (96906) MS51958-65		EA	2		*	*	*	*	*	7
F 00422	5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: BRACKET TO COIL, No. 10-32 UNF X 1/2 LG (96906) MS51958-63		EA	10		*	*	*	*	*	7
F 00423	5310-809-8646	WASHER, PLAIN, FLAT: BRACKET TO FRAME, 218 DIA X 1/37 DIA X .049 (96906) MSX2183-8		EA	4		*	*	*	*	*	7
00424		5235 - HYDRATING EQUIPMENT										
X2F 00425	4730-277-6200	CLAMP, HOSE: DEHYDRATOR (00428) Q5200M565		EA	1					100	100	6
P F 00426	4130-792-6546	DEHYDRATOR (78462) C164S		EA	1		2	4	8	2	4	6
00427		5241 - EVAPORATOR										
X2F 00428		BRACKET, EVAPORATOR COIL, BOTTOM (66935) 060-00341B900		EA	1							7

(1) SMR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 30 DAY CS MAINTENANCE ALLOWANCE			(9) 1-40 DEPOT MAINT PER CENT	(10) 1-40 DEPOT MAINT PER CENT	(11) ILLUS- TRATION
						(a) (1) 1-20	(b) (2) 21-30	(c) (3) 31-100			
22F 00429		BRACKET, EVAPORATOR COIL, TOP (66935) 060-003398900	EA	1	1	1-20	21-30	31-100			7
420 00430		CAP, SEAL; EVAPORATOR DRAIN (99017) CAPLIGN09	EA	1	1						7 21
4730-542-3019		CLAMP, HOSE; CONDENSATE DRAIN HOSE (96906) MS35842-1	EA	4	4						7 25
0 F 00431		COIL, EVAPORATOR WITH HEADERS (66935) 360-003609900	EA	1	1	*	*	*	*	*	7 27
420 00432		CONNECTOR, DRAIN; CONDENSATE (66935) 360-003335900	EA	1	1						7 19
420 00433		NUT, SELF-LOCKING PLATE; DRAIN CONNECTION TO PANEL MOUNTING, No. 10-32 UNF (03680) SPST3609-02	EA	1	1						7 7
420 00434		NUT, SELF-LOCKING PLATE; DRAIN CONNECTION TO PANEL MOUNTING, No. 10-32 UNF (03680) SPST3609-02	EA	6	6	*	*	*	*	*	7 3
F 00435		NUT, SELF-LOCKING PLATE; DRAIN CONNECTION TO PANEL MOUNTING, No. 10-32 UNF (03680) SPST3609-02	EA	10	10						7 15
22F 00436		NUT, RETAINER; FOR MOUNTING ON COIL, No. 10-32 UNF (70553) C7941-1032-24	EA	2	2	*	*	*	*	*	7 20
0 00437		RIVET, COUNTERSUNK HEAD SOLID; NUT PLATE CHAIN CONNECTION, 3/32 DIA X 5/16 LG (96906) NS20426403-5	EA	2	2	*	*	*	*	*	7 14
0 00438		SCREW, MACHINE, FLAT HEAD, RECESSED; DRAIN BRACKET TO FRAME MOUNTING, No. 10-32 THD X 3/4 IN. LG (96906) MS51960-67	EA	2	2	*	*	*	*	*	7 10
F 00439		SCREW, MACHINE, PAN HEAD, RECESSED; BOTTOM EVAPORATOR COIL BRACKET TO FRAME AND COIL, No. 10-32 UNF X 1/2 LG (96906) MS51958-63	EA	4	4	*	*	*	*	*	7 7
F 00440		SCREW, MACHINE, PAN HEAD, RECESSED; TOP EVAPORATOR COIL BRACKET TO FRAME AND COIL, No. 10-32 UNF X 5/8 LG (96906) MS51958-64	EA	4	4	*	*	*	*	*	7 1
F 00441		SCREW, CAP, HEXAGON HEAD; FILLER PIECE TO COIL, No. 10-32 UNF X 5/8 LG (07679) 021-131118900	EA	6	6						7 1

(1) SWP CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	USABLE ON CODE	UNIT OF ISSUE	(5) QTY INC UNIT PACK	(6) QTY INC UNIT	(7) 30 DAY MAINT ALLOWANCE	(8) 30-DAY MAINT ALLOWANCE	(9) 1-YR MAINT PER 100 EQUIP ENTGCTY	(10) DEPOT TR MAINT PER 100 EQUIP ENTGCTY	
P 0 00442	4720-235-1777	TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00407-900 MANUFACTURE FROM:	EA	1	1	1-20	21-50	51-100	1-20	21-50	51-100
P 0 00443		TUBE, RUBBER: 1/2 IN. ID, 1/4 IN. WALL THK (18 IN. REQUIRED)	FT								
Z20 00444		TUBE, RUBBER: CONDENSATE DRAIN (66935) 060-00408-900 MANUFACTURE FROM:	EA	1	1						
P 0 00445	4720-235-1777	TUBE, RUBBER: 1/2 IN. WALL THK (18 IN. REQUIRED)	FT								
00446		5243 - BLOWER ASSEMBLY	EA	2	2						
Z2F 00447		BRACKET, HOUSING, CONDENSER BLOWER (66935) 060-00360C900	EA	4	4						
Z20 00448		BRACKET, HOUSING EVAPORATOR BLOWER: HOUSING TO FRAME (66935) 060-00342B900	EA	2	2						
Z2F 00449		HOUSING: BLOWER CONDENSER (66935) 360-00323D900	EA	20	20						
Z2F 00450		NUT, SELF-LOCKING PLATE: INLET RING TO CONDENSER HOUSING HOUSING, NO. 10-32 UNF (03680) SPST3605-02	EA	40	40	*	*	*	*	*	*
F 00451	5320-761-3134	RIVET, BLIND, FLUSH: INLET RING TO CONDENSER HOUSING HOUSING, .054 DIA X .328 LG (96906) MS20605AD344	EA	2	2						
Z20 00452		HOUSING, BLOWER EVAPORATOR (66935) 360-00360D900	EA	24	24						
Z20 00453		NUT, SELF-LOCKING PLATE: RING TO HOUSING AND HOUSING TO FRAME, NO. 10-32 UNF (03680) SPST3605-02	EA	48	48	*	*	*	*	*	*
0 00454	5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUTS TO HOUSING, .054 DIA X .328 LG (96906) MS20605AD344	EA								





(1) SWR CODE INDEX NO.	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) QTY INC IN UNIT PACK	(6) QTY INC IN UNIT	(7) 10 DAY MAINT. ALLOWANCE	(8) 30 DAY MAINT. ALLOWANCE	(9) 1 YR MAINT. ALLOWANCE	(10) DEPOSIT MAINT. ALLOWANCE	(11) ILLUS- TRATION NO.
			USABLE ON CODE							
X20 00468		WHEEL, FAN, CONDENSER: COUNTERCLOCKWISE (60399) LED816-100-305-1CCWSTEEL		1						8
X1 00469	5305-013-9043	SETSCREW: CONDENSER FAN WHEEL 5/16-24 THD X 3/8 IN. LG		2						8
X20 00470		BRACKET, MOUNTING: DAMPER CONTROL (66935) 360-00393C900		2						10
X20 00471		NUT, SELF-LOCKING PLATE: MOUNTING ON BRACKET, No. 10-32 UNF (03680) SP513605-02		6						10
0 00472	5320-761-3134	RIVET, BLIND, FLUSH: PLATE NUT TO BRACKET, .094 DIA X .328 LG (96906) MS20605AD3M4		12		*	*	*	*	20
X20 00473	5340-901-1320	CLAMP, TUBE: CONTROL CABLE (56906) MS21322-34		6						10
X20 00474		CONTROL, DAMPER, REMOTE REGULATOR (70436) 270-032-575		2						10
X20 00475		CABLE, ASSEMBLY CONTROL: REMOTE CONTROL TO DAMPER, 38 LG (70436) 026-14599C900		2						10
X20 00476		DAMPER ASSEMBLY: LEFT SIDE (66935) 360-00392D900		1						10
X20 00477		BAR, DAMPER: SIDE (66935) 060-00319C900		1						23
X20 00478		GASKET, RUBBER: BLADES (66935) 060-00424L-900		6						10
X20 00479		GASKET, RUBBER: PAD STOP (66935) 060-00433-900		1						21
X20 00480		GASKET, RUBBER: PAD STOP (66935) 028-07869A900		1						22
0 00481	5320-855-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158		6		*	*	*	*	10



(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) REFERENCE NO. & MFR. CODE	(5) UNIT OF MEASURE	(6) QTY INC IN UNIT PACK	(7) 30 DAY DS MAINT ALLOWANCE	(8) 3-DAY GS MAINT ALLOWANCE			(9) 1-YR ALW PER 100 EQUIP ENTG	(10) DEPOT MAINT ALW. PER 100 EQUIP	(11) ILLUS- TRATION	
						(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100			FIG ITEM NO	NO
5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY, .125 ID X .032 (96906) MS15795-804		EA	18	*	*	*	*	*	*	10	8
	DAMPER, ASSEMBLY: LEFT REAR (66935) 360-003900900		EA	1								
	BAR, DAMPER: REAR (66935) 060-00320C900		EA	1							10	27
	GASKET, RUBBER: PAD STOP (66935) 060-00413-900		EA	1							10	9
	GASKET, RUBBER: PAD STOP (66935) 060-00412-900		EA	1							10	26
	GASKET, RUBBER: BLADES (66935) 060-00425-900		EA	6							10	25
5320-895-1316	RIVET, TUBULAR, OVAL: BAR TO DAMPER ARM, .123 DIA X .312 LG (96906) MS16535-158		EA	6	*	*	*	*	*	*	10	7
5310-782-1349	WASHER, FLAT: BAR AND DAMPER ASSEMBLY .125 ID X .312 OD X .032 (96906) MS15795-804		EA	18	*	*	*	*	*	*	10	8
5355-538-7331	KNOB, POINTER: DAMPER CONTROL (96906) MS25166-1		EA	2							10	19
5310-061-7326	NUT, SELF-LOCKING HEXAGON: BRACKET, DAMPER AND CLAMP MTG, No. 10-32 THD (96906) MS21045-3		EA	22	*	*	*	*	*	*	10	4
5305-059-3659	SCREW, MACHINE, PAN HEAD, RECESSED: DAMPER TO FRAME AND CONTROL CABLE TO DAMPER ARM, No. 10-32 THD X 1/2 IN. LG (96906) MS51958-63		EA	10	*	*	*	*	*	*	10	1
5305-059-3660	SCREW, MACHINE, PAN HEAD, RECESSED: CABLE CLAMP TO LIFTING RING CLAMP, No. 10-32 UNF X 5/8 LG (96906) MS51958-64		EA	4	*	*	*	*	*	*	10	3
5305-059-3661	SCREW, MACHINE, FLAT HEAD, RECESSED: DAMPER AND BRACKET TO FRAME MTG, No. 10-32 THD X 3/4 IN. LG (96906) MS51960-65		EA	2	*	*	*	*	*	*	10	17






Figure No. 1 Frame And Panel

ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
1	1801	SCREW	16	1501	RIVNUT
2	1801	RIVET	17	1501	INSULATION
3	1801	NUT	18	1501	INSULATION
4	1801	COVER	19	1501	INSULATION
5	1801	SCREW	20	1501	INSULATION
6	1801	SCREW	21	1501	RIVET
7	2210	DECAL	22	1501	NUT
8	1801	GASKET	23	1501	NUT
9	1801	GASKET	24	2210	DECAL
10	1801	INSULATION	25	1501	INSULATION
11	1801	INSULATION	26	1501	FITTING
12	1801	GASKET	27	1501	NUT
13	1801	INSULATION	28	1501	RIVET
14	1801	PANEL	29	1801	NUT
15	1501	RIVET	30	1501	FRAME



ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
1	1801	FASTENER	23	1801	GASKET
2	1801	FASTENER	24	1801	GASKET
3	1801	SCREW	25	1801	PANEL
3	4009	SCREW	26	2210	DECAL
4	1801	PANEL	27	1801	INSULATION
5	1801	STRIP	28	1801	GASKET
6	1801	GASKET	29	1801	GASKET
7	1801	GASKET	30	2210	DECAL
8	1801	PANEL	31	1801	GASKET
9	1801	GASKET	32	1801	INSULATION
10	1801	NUT	33	1801	GASKET
11	1801	FASTENER	34	1801	INSULATION
12	1801	RIVET	35	1801	RIVET
13	1801	GASKET	36	2210	NAMEPLATE
14	1801	GASKET	37	2210	DECAL
15	2210	DECAL	38	1801	GUARD
16	1801	RIVET	39	1801	GASKET
17	1801	GASKET	40	1801	GASKET
18	1801	GASKET	41	1801	INSULATION
19	1801	GASKET	42	1801	RIVET
20	1801	GASKET	43	1801	GASKET
21	2210	DECAL	44	1801	RIVET
22	1801	INSULATION			




4170-259-25P-3

Figure No. 3 Panels And Guard



LEGEND J) PARTS, FIGURE 3

ITEM NO.	FUNC GROUP	ITEM NAME	ITEM NO.	FUNC GROUP	ITEM NAME	ITEM NO.	FUNC GROUP	ITEM NAME
1	1301	GASKET	16	1301	GASKET	29	1801	NUT
2	2210	PLATE	17	1301	PANEL	30	1801	RIVET
3	2210	RIVET	18	1301	INSULATION	31	1801	TRAY
4	1501	FASTENER	19	1301	INSULATION	32	1801	SCREW
5	1501	FASTENER	20	1801	INSULATION	33	1801	RIVET
6	1801	WASHER	21	1801	GASKET	34	1801	NUT
7	1801	WASHER	22	1801	INSULATION	35	1801	GASKET
8	1801	NUT	23	1301	GASKET	36	1801	ANGLE
9	1801	PANEL	24	1801	GASKET	37	1301	SCREW
10	1301	FASTENER	25	1801	GASKET	38	1801	RIVET
11	1801	FASTENER	26	1801	GASKET	39	1801	RIVET
12	1801	SCREW	27	1801	RIVET	40	1801	SCREW
13	1801	GUARD	28	1801	INSULATION	41	1501	NUT
14	1801	SCREW	29	1501	NUT	42	1801	GASKET
15	1801	GASKET						



4170-259-75P

Figure No. 4 Control Box, Junction Box, Dual Pressure Switch

# LEGEND TO PARTS, FIGURE 4

ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
1	4011	SCREW	25	4009	INSULATION
2	4011	SHIELD	26	4009	CONNECTOR
3	4011	CIRCUIT BREAKR	27	4009	GASKET
4	4018	BOX	28	4009	COVER
5	4006	CONTACTOR	29	4009	GASKET
6	4018	NUT	30	4103	CONNECTOR
7	4018	GASKET	31	4009	SCREW
8	4018	CONNECTOR	32	4006	SCREW
9	4013	CLAMP	32	4009	SCREW
10	4108	CONNECTOR	33	4009	INSULATION
11	4006	NUT	34	4006	SWITCH
12	4012	NUT	35	4006	ADAPTER
13	4018	CONNECTOR	36	4006	NUT
14	4018	CONNECTOR	36	4009	NUT
15	4018	GASKET	36	4018	NUT
16	5244	GROMMET	37	4006	SCREW
17	4108	SCREW	38	4006	CONNECTOR
18	4009	GASKET	39	4009	RIVET
19	4009	INSULATION	40	4009	NUT
20	4009	INSULATION	40	4018	NUT
21	4009	BOX	41	5244	NUT
22	4018	SCREW	42	4018	CLAMP
23	4009	SCREW	43	4018	WASHER
24	2210	DECAL			
			44	4018	WASHER
			45	4018	NUT
			46	4012	SWITCH
			47	4018	WIRE
			48	4018	STRAP
			49	4018	CONNECTOR
			50	4103	BOX
			51	4018	RIVET
			52	4018	CAP
			53	4018	SCREW
			54	4009	RIVET
			55	4009	FASTENER
			56	4009	CHAIN
			57	4009	PLUG
			58	4012	NUT
			59	4012	KNOB
			60	5244	THERMOSTAT
			61	5244	SCREW
			62	5244	SCREW
			63	4018	TERMINAL BOARD
			64	4012	RELAY
			65	4012	SCREW
			66	4006	SCREW
			67	4006	SCREW






Figure No. 5 Refrigerant Piping And Valves

LEGEND TO PARTS, FIGURE 5

ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME	ITEM NO.	FUNCT GROUP	ITEM NAME
1	5217	ELBOW	12	5217	GROMMET	23	5217	SCREW
2	5217	TUBE	13	5217	TUBE	24	5217	VALVE
3	5217	ELBOW	14	5217	DISTRIBUTOR	25	5217	ELBOW
4	5217	TUBE	15	5217	GROMMET	26	5217	SCREW
5	5217	NIPPLE	16	5217	TUBE	27	5217	STRAP
6	5217	ELBOW	17	5217	SCREW	28	5217	NUT
7	5217	CLAMP	18	5217	CONNECTOR	29	5217	VALVE
8	5217	NIPPLE	19	5217	GASKET	30	5217	NUT
9	5217	TEE	20	5217	ADAPTER	31	5217	TUBE
10	5217	ELBOW	21	5217	COIL	32	5217	TUBE
11	5217	ELBOW	22	5217	NUT			

ITEM NO.	GROUP	NAME
1	5217	TUBE
2	5217	TUBE
3	5217	TUBE
4	5217	TUBE
5	5217	CLAMP
6	5217	TEE
7	5217	VALVE
8	5217	CLAMP
9	5235	DEHYDRATOR
10	5217	TUBE
11	5224	CLAMP
12	5224	RECEIVER
13	5224	WASHER
14	5224	NUT
15	5217	TUBE
16	5224	VALVE
17	5217	TUBE
18	5217	CLAMP
19	5217	ADAPTER
20	5217	VALVE



\*FOR A, D, E, AND F CONNECTIONS  
SEE FIGURE 6

Figure No. 6 Valves, Receiver, Sight Glass And Dehydrator

# LEGEND TO PARTS, FIGURE 7

ITEM NO.	ITEM NAME	ITEM NO.	ITEM NAME	ITEM NO.	ITEM NAME
1	5241 SCREW	11	5230 SCREW	22	5200 SCREW
2	5241 BRACKET	12	5230 WASHER	23	5200 WASHER
3	5230 NUT	13	5230 BRACKET	24	5200 NUT
4	5241 NUT	14	5230 SCREW	25	5241 CLAMP
5	5241 SCREW	15	5241 SCREW	26	5241 TUBE
6	5230 COIL	16	5230 NUT	27	5241 COIL
7	5230 RIVET	17	5241 NUT	28	5241 TUBE
8	5230 NUT	18	4018 COVER	29	5241 BRACKET
9	5230 BRACKET	19	5200 COMPRESSOR	30	2207 HEATER
10	5230 SCREW	20	5241 RIVET	31	2207 SPRING
		21	5241 CAP	32	5012 CONNECTOR
				33	4018 THERMOSTAT





Figure No. 7 Compressor, Evaporator And Condenser Coil




LEGEND TO PARTS, FIGURE 8

4120-25P-25P/8

ITEM NO.	FUNCTION GROUP	ITEM NAME	ITEM NO.	FUNCTION GROUP	ITEM NAME
1	4018	SCREW	7	4018	NUT
1	5243	SCREW	7	5243	NUT
2	5243	RING	8	5243	RIVET
3	5243	WHEEL	9	5243	BRACKET
4	5243	SETSCREW	10	5243	SCREW
5	5243	HOUSING	11	4000	MOTOR
6	4018	NUT	12	4000	SCREW
	5243	NUT			
			13	5243	WHEEL
			14	4018	SCREW
			15	4018	SCREW
			16	5243	PLATE
			17	4018	RIVET
			18	4018	RIVET

Figure No. 8 Condenser Blower





LEGEND TO PARTS, FIGURE 9

ITEM NO.	FUNCT GROUP	ITEM NAME
1	5243	SCREW
2	5243	RING
3	5243	HOUSING
4	5243	NUT
5	5243	BRACKET
6	5243	WHEEL
7	5243	SETSCREW
8	5243	NUT
9	5243	WHEEL
10	4000	MOTOR
11	4000	SCREW
12	5243	RIVET

ITEM NO.	FUNCT GROUP	ITEM NAME
1	5243	SCREW
2	1801	SCREEN
3	5343	SCREW
4	5243	NUT
5	5243	CLAMP
6	5243	CABLE
7	5243	RIVET
8	5243	WASHER
9	5243	GASKET
10	5243	SCREW
11	5243	GASKET
12	5243	GASKET
13	5245	FILTER
14	5243	SCREW
15	5243	CONTROL
16	5243	NUT
17	5243	SCREW
18	5243	BRACKET
19	5243	KNOB
20	5243	RIVET
21	5243	GASKET
22	5243	GASKET
23	5243	BAR
24	5243	GASKET
25	5243	GASKET
26	5243	GASKET
27	5243	BAR
28	5243	WASHER




Figure No. 10 Damper And Filter

4120-259-25P/10

# CROSS-REFERENCE TO INDEX NUMBER

REFERENCE No.	MFG CODE	INDEX No.	REFERENCE No.	MFG CODE	INDEX No.
0017210-1	88044	000006	MS20303n-12	96900	000006
0017210-1	41947	000006	MS20303n-15	96900	000006
MS-30	72744	000407	MS20303n-25	96900	000006
MS-30	72744	001205	MS20303n-7	96900	000006
MS1A10F	72744	001205	MS20303n-8	96900	000006
CAPLUGGING	000000	004006			
CL045	99017	004030			
CL045-1-1032-24	78462	004026			
	78553	004100			
		004306			
0011171	70255	003900			
0011171-004	02700	002335	MS203043-220	96900	000006
0011171-006	01470	000119	MS203043-1	96900	000006
0011171-008	72744	000406			
		001244	MS20306-1	96900	000006
0011171-009	97539	001244	MS203063-12835	96900	000006
0011171-010	10855	002208	MS203063-140254	96900	000006
0011171-011	03510	001308	MS203063-165	96900	000006
0011171-012	96900	004233	MS203063-18435	96900	000006
0011171-013	96900	004602	MS203063-22-225	96900	000006
		004609	MS203063-24-115	96900	000006
		004900	MS203063-32-064	96900	000006
		005003	MS203063-6	96900	000006
0011171-014	96900	004008	MS3102K1253X	96900	000006
0011171-015	96900	004061	MS3102K1253X	96900	000006
		004068	MS3102K22-220	96900	000006
		004900	MS3102K24114	96900	000006
		005002	MS3102K24205	96900	000006
0011171-016	96900	001774	MS3103-22-220	96900	000006
0011171-017	96900	000013	MS33008-333	96900	000006
0011171-018	96900	000007			
0011171-019	96900	001099	MS33008-353	96900	000006
		001222	MS33008-6	96900	000006
0011171-020	96900	000008	MS33008-101	96900	000006
		002111	MS33008-14	96900	000006
0011171-021	96900	004037	MS33008-16	96900	000006
		000115			
0011171-022	96900	000008	MS33008-15	96900	000006
		004199	MS33008-22	96900	000006
0011171-023	96900	000308	MS33008-102	96900	000006
0011171-024	96900	003002	MS33008-10101	96900	000006
0011171-025	96900	000012	MS33008-21	96900	000006
0011171-026	96900	001352	MS33008-22	96900	000006
		002000	MS33008-23	96900	000006
0011171-027	96900	000018	MS33008-24	96900	000006
0011171-028	96900	000014	MS33008-25	96900	000006
		000011	MS33008-26	96900	000006
		002008	MS33008-27	96900	000006
		004031	MS33008-28	96900	000006
		004034	MS33008-29	96900	000006
		004122	MS33008-30	96900	000006
0011171-029	96900	000019	MS33008-31	96900	000006
		000037	MS33008-32	96900	000006
		000016	MS33008-33	96900	000006
		000017	MS33008-34	96900	000006
0011171-030	96900	002335	MS33008-35	96900	000006
		002405	MS33008-36	96900	000006
0011171-031	96900	003400	MS33008-37	96900	000006
		004036	MS33008-38	96900	000006
0011171-032	96900	004036	MS33008-39	96900	000006
		004037	MS33008-40	96900	000006
		004038	MS33008-41	96900	000006
		004039	MS33008-42	96900	000006
		004040	MS33008-43	96900	000006
		004041	MS33008-44	96900	000006
		004042	MS33008-45	96900	000006
		004043	MS33008-46	96900	000006
		004044	MS33008-47	96900	000006
		004045	MS33008-48	96900	000006
		004046	MS33008-49	96900	000006
		004047	MS33008-50	96900	000006
		004048	MS33008-51	96900	000006
		004049	MS33008-52	96900	000006
		004050	MS33008-53	96900	000006
		004051	MS33008-54	96900	000006
		004052	MS33008-55	96900	000006
		004053	MS33008-56	96900	000006
		004054	MS33008-57	96900	000006
		004055	MS33008-58	96900	000006
		004056	MS33008-59	96900	000006
		004057	MS33008-60	96900	000006
		004058	MS33008-61	96900	000006
		004059	MS33008-62	96900	000006
		004060	MS33008-63	96900	000006
		004061	MS33008-64	96900	000006
		004062	MS33008-65	96900	000006
		004063	MS33008-66	96900	000006
		004064	MS33008-67	96900	000006
		004065	MS33008-68	96900	000006
		004066	MS33008-69	96900	000006
		004067	MS33008-70	96900	000006
		004068	MS33008-71	96900	000006
		004069	MS33008-72	96900	000006
		004070	MS33008-73	96900	000006
		004071	MS33008-74	96900	000006
		004072	MS33008-75	96900	000006
		004073	MS33008-76	96900	000006
		004074	MS33008-77	96900	000006
		004075	MS33008-78	96900	000006
		004076	MS33008-79	96900	000006
		004077	MS33008-80	96900	000006
		004078	MS33008-81	96900	000006
		004079	MS33008-82	96900	000006
		004080	MS33008-83	96900	000006
		004081	MS33008-84	96900	000006
		004082	MS33008-85	96900	000006
		004083	MS33008-86	96900	000006
		004084	MS33008-87	96900	000006
		004085	MS33008-88	96900	000006
		004086	MS33008-89	96900	000006
		004087	MS33008-90	96900	000006
		004088	MS33008-91	96900	000006
		004089	MS33008-92	96900	000006
		004090	MS33008-93	96900	000006
		004091	MS33008-94	96900	000006
		004092	MS33008-95	96900	000006
		004093	MS33008-96	96900	000006
		004094	MS33008-97	96900	000006
		004095	MS33008-98	96900	000006
		004096	MS33008-99	96900	000006
		004097	MS33008-100	96900	000006
		004098	MS33008-101	96900	000006
		004099	MS33008-102	96900	000006
		004100	MS33008-103	96900	000006
		004101	MS33008-104	96900	000006
		004102	MS33008-105	96900	000006
		004103	MS33008-106	96900	000006
		004104	MS33008-107	96900	000006
		004105	MS33008-108	96900	000006
		004106	MS33008-109	96900	000006
		004107	MS33008-110	96900	000006
		004108	MS33008-111	96900	000006
		004109	MS33008-112	96900	000006
		004110	MS33008-113	96900	000006
		004111	MS33008-114	96900	000006
		004112	MS33008-115	96900	000006
		004113	MS33008-116	96900	000006
		004114	MS33008-117	96900	000006
		004115	MS33008-118	96900	000006
		004116	MS33008-119	96900	000006
		004117	MS33008-120	96900	000006
		004118	MS33008-121	96900	000006
		004119	MS33008-122	96900	000006
		004120	MS33008-123	96900	000006
		004121	MS33008-124	96900	000006
		004122	MS33008-125	96900	000006
		004123	MS33008-126	96900	000006
		004124	MS33008-127	96900	000006
		004125	MS33008-128	96900	000006
		004126	MS33008-129	96900	000006
		004127	MS33008-130	96900	000006
		004128	MS33008-131	96900	000006
		004129	MS33008-132	96900	000006
		004130	MS33008-133	96900	000006
		004131	MS33008-134	96900	000006
		004132	MS33008-135	96900	000006
		004133	MS33008-136	96900	000006
		004134	MS33008-137	96900	000006
		004135	MS33008-138	96900	000006
		004136	MS33008-139	96900	000006
		004137	MS33008-140	96900	000006
		004138	MS33008-141	96900	000006
		004139	MS33008-142	96900	000006
		004140	MS33008-143	96900	000006
		004141	MS33008-144	96900	000006
		004142	MS33008-145	96900	000006
		004143	MS33008-146	96900	000006
		004144	MS33008-147	96900	000006
		004145	MS33008-148	96900	000006
		004146	MS33008-149	96900	000006
		004147	MS33008-150	96900	000006
		004148	MS33008-151	96900	000006
		004149	MS33008-152	96900	000006
		004150	MS33008-153	96900	000006
		004151	MS33008-154	96900	000006
		004152	MS33008-155	96900	000006
		004153	MS33008-156	96900	000006
		004154	MS33008-157	96900	000006
		004155	MS33008-158	96900	000006
		004156	MS33008-159	96900	000006
		004157	MS33008-160	96900	000006
		004158	MS33008-161	96900	000006
		004159	MS33008-162	96900	000006
		004160	MS33008-163	96900	000006
		004161	MS33008-164	96900	000006
		004162	MS33008-165	96900	000006
		004163	MS33008-166	96900	000006
		004164	MS33008-167	96900	000006
		004165	MS33008-168	96900	000006
		004166	MS33008-169	96900	000006
		004167	MS33008-170	96900	000006
		004168	MS33008-171	96900	000006
		004169	MS33008-172	96900	000006
		004170	MS33008-173	96900	000006
		004171	MS33008-174	96900	000006
		00417			

REFERENCE No.	MFG CODE	INDEX No.	REFERENCE No.	MFG CODE	INDEX No.
055-1958-04	769706	00341	07506-1000055Y	97534	00279
		00340	026-1456269002-3-3	00255	00101
		00307	026-145991400	70446	00475
		00069	026-078698900	06935	00660
		00110			00606
		00132	029-118070900	00945	00151
		00133	029-118081000	00944	00150
		00134	032-0001763900	00935	00149
		00344	032-0001771800	00945	00148
		00421	032-0001780900	00945	00140
		00349	032-0001790000	00945	00142
		00135	032-0001800000	00945	00143
		00318	032-0001810000	00945	00146
		00306	032-0001820000	00945	00149
		00310	032-0001830000	00945	00147
		00318	032-0001840000	00945	00149
		00309	032-0001850000	00945	00149
		00312	060-0001766000	00945	00145
		00420	060-0001763000	00945	00150
		00420	060-0001764000	00945	00151
		00402	060-0001765000	00945	00152
		00310	060-0001766000	00945	00154
		00425	060-0001767000	00945	00157
		00425	060-0001768000	00945	00158
		00425	060-0001769000	00945	00159
		00425	060-0001770000	00945	00160
		00425	060-0001771000	00945	00161
		00425	060-0001772000	00945	00162
		00425	060-0001773000	00945	00163
		00425	060-0001774000	00945	00164
		00425	060-0001775000	00945	00165
		00425	060-0001776000	00945	00166
		00425	060-0001777000	00945	00167
		00425	060-0001778000	00945	00168
		00425	060-0001779000	00945	00169
		00425	060-0001780000	00945	00170
		00425	060-0001781000	00945	00171
		00425	060-0001782000	00945	00172
		00425	060-0001783000	00945	00173
		00425	060-0001784000	00945	00174
		00425	060-0001785000	00945	00175
		00425	060-0001786000	00945	00176
		00425	060-0001787000	00945	00177
		00425	060-0001788000	00945	00178
		00425	060-0001789000	00945	00179
		00425	060-0001790000	00945	00180
		00425	060-0001791000	00945	00181
		00425	060-0001792000	00945	00182
		00425	060-0001793000	00945	00183
		00425	060-0001794000	00945	00184
		00425	060-0001795000	00945	00185
		00425	060-0001796000	00945	00186
		00425	060-0001797000	00945	00187
		00425	060-0001798000	00945	00188
		00425	060-0001799000	00945	00189
		00425	060-0001800000	00945	00190
		00425	060-0001801000	00945	00191
		00425	060-0001802000	00945	00192
		00425	060-0001803000	00945	00193
		00425	060-0001804000	00945	00194
		00425	060-0001805000	00945	00195
		00425	060-0001806000	00945	00196
		00425	060-0001807000	00945	00197
		00425	060-0001808000	00945	00198
		00425	060-0001809000	00945	00199
		00425	060-0001810000	00945	00200
		00425	060-0001811000	00945	00201
		00425	060-0001812000	00945	00202
		00425	060-0001813000	00945	00203
		00425	060-0001814000	00945	00204
		00425	060-0001815000	00945	00205
		00425	060-0001816000	00945	00206
		00425	060-0001817000	00945	00207
		00425	060-0001818000	00945	00208
		00425	060-0001819000	00945	00209
		00425	060-0001820000	00945	00210
		00425	060-0001821000	00945	00211
		00425	060-0001822000	00945	00212
		00425	060-0001823000	00945	00213
		00425	060-0001824000	00945	00214
		00425	060-0001825000	00945	00215
		00425	060-0001826000	00945	00216
		00425	060-0001827000	00945	00217
		00425	060-0001828000	00945	00218
		00425	060-0001829000	00945	00219
		00425	060-0001830000	00945	00220
		00425	060-0001831000	00945	00221
		00425	060-0001832000	00945	00222
		00425	060-0001833000	00945	00223
		00425	060-0001834000	00945	00224
		00425	060-0001835000	00945	00225
		00425	060-0001836000	00945	00226
		00425	060-0001837000	00945	00227
		00425	060-0001838000	00945	00228
		00425	060-0001839000	00945	00229
		00425	060-0001840000	00945	00230
		00425	060-0001841000	00945	00231
		00425	060-0001842000	00945	00232
		00425	060-0001843000	00945	00233
		00425	060-0001844000	00945	00234
		00425	060-0001845000	00945	00235
		00425	060-0001846000	00945	00236
		00425	060-0001847000	00945	00237
		00425	060-0001848000	00945	00238
		00425	060-0001849000	00945	00239
		00425	060-0001850000	00945	00240
		00425	060-0001851000	00945	00241
		00425	060-0001852000	00945	00242
		00425	060-0001853000	00945	00243
		00425	060-0001854000	00945	00244
		00425	060-0001855000	00945	00245
		00425	060-0001856000	00945	00246
		00425	060-0001857000	00945	00247
		00425	060-0001858000	00945	00248
		00425	060-0001859000	00945	00249
		00425	060-0001860000	00945	00250
		00425	060-0001861000	00945	00251
		00425	060-0001862000	00945	00252
		00425	060-0001863000	00945	00253
		00425	060-0001864000	00945	00254
		00425	060-0001865000	00945	00255
		00425	060-0001866000	00945	00256
		00425	060-0001867000	00945	00257
		00425	060-0001868000	00945	00258
		00425	060-0001869000	00945	00259
		00425	060-0001870000	00945	00260
		00425	060-0001871000	00945	00261
		00425	060-0001872000	00945	00262
		00425	060-0001873000	00945	00263
		00425	060-0001874000	00945	00264
		00425	060-0001875000	00945	00265
		00425	060-0001876000	00945	00266
		00425	060-0001877000	00945	00267
		00425	060-0001878000	00945	00268
		00425	060-0001879000	00945	00269
		00425	060-0001880000	00945	00270
		00425	060-0001881000	00945	00271
		00425	060-0001882000	00945	00272
		00425	060-0001883000	00945	00273
		00425	060-0001884000	00945	00274
		00425	060-0001885000	00945	00275
		00425	060-0001886000	00945	00276
		00425	060-0001887000	00945	00277
		00425	060-0001888000	00945	00278
		00425	060-0001889000	00945	00279
		00425	060-0001890000	00945	00280
		00425	060-0001891000	00945	00281
		00425	060-0001892000	00945	00282
		00425	060-0001893000	00945	00283
		00425	060-0001894000	00945	00284
		00425	060-0001895000	00945	00285
		00425	060-0001896000	00945	00286
		00425	060-0001897000	00945	00287
		00425	060-0001898000	00945	00288
		00425	060-0001899000	00945	00289
		00425	060-0001900000	00945	00290
		00425	060-0001901000	00945	00291
		00425	060-0001902000	00945	00292
		00425	060-0001903000	00945	00293
		00425	060-0001904000	00945	00294
		00425	060-0001905000	00945	00295
		00425	060-0001906000	00945	00296
		00425	060-0001907000	00945	00297
		00425	060-0001908000	00945	00298
		00425	060-0001909000	00945	00299
		00425	060-0001910000	00945	00300
		00425	060-0001911000	00945	00301
		00425	060-0001912000	00945	00302
		00425	060-0001913000	00945	00303
		00425	060-0001914000	00945	00304
		00425	060-0001915000	00945	00305
		00425	060-0001916000	00945	00306
		00425	060-0001917000	00945	00307
		00425	060-0001918000	00945	00308
		00425	060-0001919000	00945	00309
		00425	060-0001920000	00945	00310
		00425	060-0001921000	00945	00311
		00425	060-0001922000	00945	00312
		00425	060-0001923000	00945	00313
		00425	060-0001924000	00945	00314
		00425	060-0001925000	00945	00315
		00425	060-0001926000	00945	00316
		00425	060-0001927000	00945	00317
		00425	060-0001928000	00945	00318
		00425	060-0001929000	00945	00319
		00425	060-0001930000	00945	00320
		00425	060-0001931000	00945	00321
		00425	060-0001932000	00945	00322
		00425	060-0001933000	00945	00323
		00425	060-0001934000	00945	00324
		00425	060-0001935000	00945	00325
		00425	060-0001936000	00945	00326
		00425	060-0001937000	00945	00327
		00425	060-0001938000	00945	00328
		00425	060-0001939000	00945	00329
		00425	060-0001940000	00945	00330
		00425	060-0001941000	00945	00331
		00425	060-0001942000	00945	00332
		00425	060-0001943000	00945	00333
		00425	060-0001944000	00945	00334
		00425	060-0001945000	00945	00335
		00425	060-0001946000	00945	00336
		0042			

## CROSS-REFERENCE TO INDEX NUMBER

REFERENCE No.	Mfr Code	INDEX No.	REFERENCE No.	Mfr Code	INDEX No.
06U-00430A9UU	06433	00093	30U-003731940U	06433	00140
06U-00437A9UU	06433	00094	30U-003731940U	06433	00111
06U-00441094UU	06433	00116	30U-003731940U	06433	00012
06U-00447194UU	06433	00113	30U-003801940U	06433	00041
06U-00447204UU	06433	00112	30U-00381094U	06433	00043
06U-00447304UU	06433	00118	30U-00382194U	06433	00129
06U-00447404UU	06433	00113	30U-00383094U	06433	00040
06U-00447504UU	06433	00114	30U-00384194U	06433	00047
06U-00447604UU	06433	00014	30U-00385094U	06433	00043
06U-00447949UU	06433	00013	30U-00391094U	06433	00043
06U-00448094UU	06433	00096	30U-00392094U	06433	00043
06U-00448194UU	06433	00015	30U-00393094U	06433	00043
06U-00448294UU	06433	00094	30U-00394094U	06433	00043
06U-00448394UU	06433	00017	30U-00395094U	06433	00043
06U-00448494UU	06433	00097	30U-00396094U	06433	00043
06U-00448594UU	06433	00019	30U-00397094U	06433	00043
06U-00448694UU	06433	00093	30U-00398094U	06433	00043
06U-00448794UU	06433	00091	30U-00399094U	06433	00043
06U-00448894UU	06433	00092	30U-00400094U	06433	00043
06U-00448994UU	06433	00094	30U-00401094U	06433	00043
06U-00449094UU	06433	00016	30U-00402094U	06433	00043
06U-00449194UU	06433	00096	30U-00403094U	06433	00043
06U-00449294UU	06433	00098	30U-00404094U	06433	00043
06U-00449394UU	06433	00098	30U-00405094U	06433	00043
06U-00449494UU	06433	00098	30U-00406094U	06433	00043
06U-00449594UU	06433	00098	30U-00407094U	06433	00043
06U-00449694UU	06433	00098	30U-00408094U	06433	00043
06U-00449794UU	06433	00098	30U-00409094U	06433	00043
06U-00449894UU	06433	00098	30U-00410094U	06433	00043
06U-00449994UU	06433	00098	30U-00411094U	06433	00043
06U-00450094UU	06433	00098	30U-00412094U	06433	00043
06U-00450194UU	06433	00098	30U-00413094U	06433	00043
06U-00450294UU	06433	00098	30U-00414094U	06433	00043
06U-00450394UU	06433	00098	30U-00415094U	06433	00043
06U-00450494UU	06433	00098	30U-00416094U	06433	00043
06U-00450594UU	06433	00098	30U-00417094U	06433	00043
06U-00450694UU	06433	00098	30U-00418094U	06433	00043
06U-00450794UU	06433	00098	30U-00419094U	06433	00043
06U-00450894UU	06433	00098	30U-00420094U	06433	00043
06U-00450994UU	06433	00098	30U-00421094U	06433	00043
06U-00451094UU	06433	00098	30U-00422094U	06433	00043
06U-00451194UU	06433	00098	30U-00423094U	06433	00043
06U-00451294UU	06433	00098	30U-00424094U	06433	00043
06U-00451394UU	06433	00098	30U-00425094U	06433	00043
06U-00451494UU	06433	00098	30U-00426094U	06433	00043
06U-00451594UU	06433	00098	30U-00427094U	06433	00043
06U-00451694UU	06433	00098	30U-00428094U	06433	00043
06U-00451794UU	06433	00098	30U-00429094U	06433	00043
06U-00451894UU	06433	00098	30U-00430094U	06433	00043
06U-00451994UU	06433	00098	30U-00431094U	06433	00043
06U-00452094UU	06433	00098	30U-00432094U	06433	00043
06U-00452194UU	06433	00098	30U-00433094U	06433	00043
06U-00452294UU	06433	00098	30U-00434094U	06433	00043
06U-00452394UU	06433	00098	30U-00435094U	06433	00043
06U-00452494UU	06433	00098	30U-00436094U	06433	00043
06U-00452594UU	06433	00098	30U-00437094U	06433	00043
06U-00452694UU	06433	00098	30U-00438094U	06433	00043
06U-00452794UU	06433	00098	30U-00439094U	06433	00043
06U-00452894UU	06433	00098	30U-00440094U	06433	00043
06U-00452994UU	06433	00098	30U-00441094U	06433	00043
06U-00453094UU	06433	00098	30U-00442094U	06433	00043
06U-00453194UU	06433	00098	30U-00443094U	06433	00043
06U-00453294UU	06433	00098	30U-00444094U	06433	00043
06U-00453394UU	06433	00098	30U-00445094U	06433	00043
06U-00453494UU	06433	00098	30U-00446094U	06433	00043
06U-00453594UU	06433	00098	30U-00447094U	06433	00043
06U-00453694UU	06433	00098	30U-00448094U	06433	00043
06U-00453794UU	06433	00098	30U-00449094U	06433	00043
06U-00453894UU	06433	00098	30U-00450094U	06433	00043
06U-00453994UU	06433	00098	30U-00451094U	06433	00043
06U-00454094UU	06433	00098	30U-00452094U	06433	00043
06U-00454194UU	06433	00098	30U-00453094U	06433	00043
06U-00454294UU	06433	00098	30U-00454094U	06433	00043
06U-00454394UU	06433	00098	30U-00455094U	06433	00043
06U-00454494UU	06433	00098	30U-00456094U	06433	00043
06U-00454594UU	06433	00098	30U-00457094U	06433	00043
06U-00454694UU	06433	00098	30U-00458094U	06433	00043
06U-00454794UU	06433	00098	30U-00459094U	06433	00043
06U-00454894UU	06433	00098	30U-00460094U	06433	00043
06U-00454994UU	06433	00098	30U-00461094U	06433	00043
06U-00455094UU	06433	00098	30U-00462094U	06433	00043
06U-00455194UU	06433	00098	30U-00463094U	06433	00043
06U-00455294UU	06433	00098	30U-00464094U	06433	00043
06U-00455394UU	06433	00098	30U-00465094U	06433	00043
06U-00455494UU	06433	00098	30U-00466094U	06433	00043
06U-00455594UU	06433	00098	30U-00467094U	06433	00043
06U-00455694UU	06433	00098	30U-00468094U	06433	00043
06U-00455794UU	06433	00098	30U-00469094U	06433	00043
06U-00455894UU	06433	00098	30U-00470094U	06433	00043
06U-00455994UU	06433	00098	30U-00471094U	06433	00043
06U-00456094UU	06433	00098	30U-00472094U	06433	00043
06U-00456194UU	06433	00098	30U-00473094U	06433	00043
06U-00456294UU	06433	00098	30U-00474094U	06433	00043
06U-00456394UU	06433	00098	30U-00475094U	06433	00043
06U-00456494UU	06433	00098	30U-00476094U	06433	00043
06U-00456594UU	06433	00098	30U-00477094U	06433	00043
06U-00456694UU	06433	00098	30U-00478094U	06433	00043
06U-00456794UU	06433	00098	30U-00479094U	06433	00043
06U-00456894UU	06433	00098	30U-00480094U	06433	00043
06U-00456994UU	06433	00098	30U-00481094U	06433	00043
06U-00457094UU	06433	00098	30U-00482094U	06433	00043
06U-00457194UU	06433	00098	30U-00483094U	06433	00043
06U-00457294UU	06433	00098	30U-00484094U	06433	00043
06U-00457394UU	06433	00098	30U-00485094U	06433	00043
06U-00457494UU	06433	00098	30U-00486094U	06433	00043
06U-00457594UU	06433	00098	30U-00487094U	06433	00043
06U-00457694UU	06433	00098	30U-00488094U	06433	00043
06U-00457794UU	06433	00098	30U-00489094U	06433	00043
06U-00457894UU	06433	00098	30U-00490094U	06433	00043
06U-00457994UU	06433	00098	30U-00491094U	06433	00043
06U-00458094UU	06433	00098	30U-00492094U	06433	00043
06U-00458194UU	06433	00098	30U-00493094U	06433	00043
06U-00458294UU	06433	00098	30U-00494094U	06433	00043
06U-00458394UU	06433	00098	30U-00495094U	06433	00043
06U-00458494UU	06433	00098	30U-00496094U	06433	00043
06U-00458594UU	06433	00098	30U-00497094U	06433	00043
06U-00458694UU	06433	00098	30U-00498094U	06433	00043
06U-00458794UU	06433	00098	30U-00499094U	06433	00043
06U-00458894UU	06433	00098	30U-00500094U	06433	00043
06U-00458994UU	06433	00098	30U-00501094U	06433	00043
06U-00459094UU	06433	00098	30U-00502094U	06433	00043
06U-00459194UU	06433	00098	30U-00503094U	06433	00043
06U-00459294UU	06433	00098	30U-00504094U	06433	00043
06U-00459394UU	06433	00098	30U-00505094U	06433	00043
06U-00459494UU	06433	00098	30U-00506094U	06433	00043
06U-00459594UU	06433	00098	30U-00507094U	06433	00043
06U-00459694UU	06433	00098	30U-00508094U	06433	00043
06U-00459794UU	06433	00098	30U-00509094U	06433	00043
06U-00459894UU	06433	00098	30U-00510094U	06433	00043
06U-00459994UU	06433	00098	30U-00511094U	06433	00043
06U-00460094UU	06433	00098	30U-00512094U	06433	00043
06U-00460194UU	06433	00098	30U-00513094U	06433	00043
06U-00460294UU	06433	00098	30U-00514094U	06433	00043
06U-00460394UU	06433	00098	30U-00515094U	06433	00043
06U-00460494UU	06433	00098	30U-00516094U	06433	00043
06U-00460594UU	06433	00098	30U-00517094U	06433	00043
06U-00460694UU	06433	00098	30U-00518094U	06433	00043
06U-00460794UU	06433	00098	30U-00519094U	06433	00043
06U-00460894UU	06433	00098	30U-00520094U	06433	00043
06U-00460994UU	06433	00098	30U-00521094U	06433	00043
06U-00461094UU	06433	00098	30U-00522094U	06433	00043
06U-00461194UU	06433	00098	30U-00523094U	06433	00043
06U-00461294UU	06433	00098	30U-00524094U	06433	00043
06U-00461394UU	06433	00098	30U-00525094U	06433	00043
06U-00461494UU	06433	00098	30U-00526094U	06433	00043
06U-00461594UU	06433	00098	30U-00527094U	06433	00043
06U-00461694UU	06433	00098	30U-00528094U	06433	00043
06U-00461794UU	06433	00098	30U-00529094U	06433	00043
06U-00461894UU	06433	00098	30U-00530094U	06433	00043
06U-00461994UU	06433	00098	30U-00531094U	06433	00043
06U-00462094UU	06433	00098	30U-00532094U	06433	00043
06U-00462194UU	06433	00098	30U-00533094U	06433	00043
06U-00462294UU	06433	00098	30U-00534094U	06433	00043
06U-00462394UU	06433	00098	30U-00535094U	06433	00043
06U-004624					

tion VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO INDEX NUMBER

[illegible]



ficial:

*General, United States Army,  
Chief of Staff.*

KENNETH G. WICKHAM,  
*Major General, United States Army,  
The Adjutant General.*

**distribution:**

To be distributed in accordance with DA Form 12-25, (qty rqr block no. 554) Section III, Organizational  
maintenance requirements for Air Conditioners, 36,000 BTU, Floor Mounting.

☆ U.S.GOVERNMENT PRINTING OFFICE : 1988 O - 219-548



IM 3-4120-237-23F AIR CONDITIONER; BASE MOUNTED, AIR COOLED-1968